

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 12/01/2013
And 12/31/2013

Incident Log Report

Printed On: Wed, Jan 08, 2014

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000439	WA0270500	12/01/2013 23:38	E5 - Wade, Johnny	Domestic Dispute
2013000440	WA0270500	12/02/2013 09:19	EA1 - McGuire, Jason	Motor Vehicle Recovery
2013000441	WA0270500	12/02/2013 20:32	E5 - Wade, Johnny	Civil Standby
2013000442	WA0270500	12/03/2013 14:22	E4 - Case, Bruce	Possible DV Assault
2013000443	WA0270500	12/03/2013 14:41	EA1 - McGuire, Jason	Information, Assault 4
2013000444	WA0270500	12/03/2013 17:41	E5 - Wade, Johnny	DWLS 3, Improper Lane Usage
2013000445	WA0270500	12/03/2013 18:19	E5 - Wade, Johnny	Theft 3
2013000446	WA0270500	12/04/2013 10:49	E4 - Case, Bruce	Fraud-Credit Card
2013000447	WA0270500	12/09/2013 15:37	E5 - Wade, Johnny	Custodial Issue
2013000448	WA0270500	12/10/2013 02:15	E5 - Wade, Johnny	Misuse of 911 System, False Reporting
2013000449	WA0270500	12/10/2013 08:58	EA1 - McGuire, Jason	Harassment
2013000450	WA0270500	12/10/2013 10:38	EA1 - McGuire, Jason	Animal Complaint
2013000451	WA0270500	12/10/2013 12:46	EA1 - McGuire, Jason	Forgery, Bank Checks
2013000452	WA0270500	12/10/2013 17:10	E5 - Wade, Johnny	Welfare Check
2013000453	WA0270500	12/12/2013 02:11	EA1 - McGuire, Jason	Suspicious Persons
2013000454	WA0270500	12/12/2013 10:36	EA1 - McGuire, Jason	Information
2013000455	WA0270500	12/12/2013 22:03	ea7 - Anderson, Shauna	FACR
2013000456	WA0270500	12/12/2013 22:36	ea7 - Anderson, Shauna	Arrest Warrant
2013000457	WA0270500	12/13/2013 00:16	E5 - Wade, Johnny	Involuntary Commit
2013000458	WA0270500	12/14/2013 10:28	E5 - Wade, Johnny	Custodial Issue
2013000459	WA0270500	12/16/2013 11:58	E1 -	Welfare Check
2013000460	WA0270500	12/16/2013 15:30	EA1 - McGuire, Jason	Custody Dispute
2013000461	WA0270500	12/16/2013 21:51	ea7 - Anderson, Shauna	Hit and Run Unattended
2013000462	WA0270500	12/16/2013 23:18	ea7 - Anderson, Shauna	Deposit of Unwholesome Substance
2013000463	WA0270500	12/17/2013 07:54	E4 - Case, Bruce	Agency Assist, PCSD, MVC
2013000464	WA0270500	12/18/2013 19:18	E5 - Wade, Johnny	Runaway
2013000465	WA0270500	12/20/2013 14:14	E4 - Case, Bruce	Malicious Mischief 3
2013000466	WA0270500	12/21/2013 19:30	E5 - Wade, Johnny	DWLS 3
2013000467	WA0270500	12/22/2013 18:40	E5 - Wade, Johnny	Information Report
2013000468	WA0270500	12/22/2013 21:33	E5 - Wade, Johnny	Welfare Check

Eatonville Police Department

Incident Log Report

Printed On: Wed, Jan 08, 2014

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000469	WA0270500	12/22/2013 23:41	E5 - Wade, Johnny	Security Check
2013000470	WA0270500	12/23/2013 23:01	E5 - Wade, Johnny	Civil Standby
2013000471	WA0270500	12/24/2013 17:59	E5 - Wade, Johnny	DUI
2013000472	WA0270500	12/26/2013 17:17	ea7 - Anderson, Shauna	Paper Service
2013000473	WA0270500	12/26/2013 17:54	ea7 - Anderson, Shauna	DWLS 2
2013000474	WA0270500	12/27/2013 07:52	E4 - Case, Bruce	Trespass
2013000475	WA0270500	12/27/2013 08:59	E4 - Case, Bruce	Residential Burglary
2013000476	WA0270500	12/28/2013 01:28	ea7 - Anderson, Shauna	Juvenile Problem
2013000477	WA0270500	12/30/2013 11:16	EA1 - McGuire, Jason	Theft 3, Shoplift
2013000478	WA0270500	12/30/2013 14:22	EA1 - McGuire, Jason	Violation of No-Contact Order DV
2013000479	WA0270500	12/31/2013 19:37	E5 - Wade, Johnny	Juvenile Problem, Unruly Child

Total Records: 41

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 12/01/2013
And 12/31/2013

Citation Log Report

Printed On: Wed, Jan 08, 2014

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z0595493	WA0270500	12/10/2013 02:15	E5 - Wade, Johnny	False Reporting, Making False Statement
C3Z0595494	WA0270500	12/10/2013 02:15	E5 - Wade, Johnny	False Reporting, Making False Statement
C3Z0832409	WA0270500	12/3/2013 17:43	E5 - Wade, Johnny	DWLS 3
C3Z1013137	WA0270500	12/16/2013 23:18	ea7 - Anderson, Shauna	Deposit of Unwholesome Substance
C3Z1013138	WA0270500	12/26/2013 17:54	ea7 - Anderson, Shauna	DWLS 2
C3Z1014577	WA0270500	12/16/2013 21:51	ea7 - Anderson, Shauna	Hit and Run Unattended
C3Z1018647	WA0270500	12/21/2013 19:30	E5 - Wade, Johnny	DWLS 3
C3Z1018648	WA0270500	12/24/2013 17:59	E5 - Wade, Johnny	DUI
C3Z1025450	WA0270500	12/30/2013 11:16	EA1 - McGuire, Jason	Theft 3
I3Z0102844	WA0270500	12/15/2013 16:16	ea7 - Anderson, Shauna	Smoking Prohibited, Smoking Underage
I3Z0832408	WA0270500	12/3/2013 17:43	E5 - Wade, Johnny	Improper Lane Usage (DWLS 3)
I3Z0832410	WA0270500	12/12/2013 14:32	E5 - Wade, Johnny	35/25
I3Z0832411	WA0270500	12/13/2013 10:04	E5 - Wade, Johnny	48/25
I3Z0852765	WA0270500	12/5/2013 08:40	E4 - Case, Bruce	NVOL w/ID
I3Z0852766	WA0270500	12/7/2013 09:03	E4 - Case, Bruce	41/30
I3Z0852767	WA0270500	12/28/2013 13:47	E4 - Case, Bruce	Exp Veh Tabs >2
I3Z0958636	WA0270500	12/21/2013 22:16	11 - Smith, Robin	Fail to Obey Flashing Red Signal
I3Z0958637	WA0270500	12/26/2013 23:08	11 - Smith, Robin	65/50
I3Z0958638	WA0270500	12/28/2013 12:23	11 - Smith, Robin	Exp Veh Tabs >2
I3Z0958638	WA0270500	12/28/2013 12:23	11 - Smith, Robin	Exp Veh Tabs > 2
I3Z0984880	WA0270500	12/12/2013 22:36	ea7 - Anderson, Shauna	Fail to Wear Seat Belt, No Insurance
I3Z0984881	WA0270500	12/13/2013 18:50	ea7 - Anderson, Shauna	Urinating in Public
I3Z0984882	WA0270500	12/15/2013 17:44	ea7 - Anderson, Shauna	Exp Veh Tabs >2
I3Z1012845	WA0270500	12/15/2013 16:20	ea7 - Anderson, Shauna	Smoking Prohibited, Smoking Underage
I3Z1013139	WA0270500	12/26/2013 17:54	ea7 - Anderson, Shauna	Exp Veh Tabs >2, No Insurance
I3Z1018649	WA0270500	12/24/2013 17:59	E5 - Wade, Johnny	Fail to Signal, No Insurance (DUI)
I3Z1018650	WA0270500	12/25/2013 20:30	E5 - Wade, Johnny	61/50
I3Z1021945	WA0270500	12/28/2013 15:25	11 - Smith, Robin	37/25
I3Z1021946	WA0270500	12/28/2013 16:19	11 - Smith, Robin	Failure To Obey Flashing Red Signal
I3Z1024018	WA0270500	12/28/2013 15:50	ea7 - Anderson, Shauna	Exp Veh Tabs >2



EATONVILLE POLICE DEPARTMENT

Chief Jason McGuire

*P.O. Box 309 • 201 Center Street West
Eatonville, Washington 98328
(360)832-6111 • Fax (360)832-2093*

January 6, 2014

To: Mayor Schaub and Town Council Members

From: Chief Jason McGuire, Eatonville Police Department

Subject: End of 2013 year report

Councilmembers,

The police department has been very busy this year working with a reduced staff. Officers have responded to 1650 dispatched calls resulting in 479 incident reports being generated. We have also conducted 531 traffic stops which resulted in 297 citations or infractions being issued to violators. Finally we have had 36 callouts during the times when we have no officer on duty.

Our secretary has also been very busy this year all while working part time. She has taken over 630 phone calls, walk-ins, and voice mails. Responded to 74 public records request and processed the above mentioned incident reports, citations, and infractions. Unfortunately I have had to cut some services Gaille used to do for the community to account for the lost time she has.

This department is aware of the budget issues the town is facing and will continue to cut costs as much as possible.

If you have any questions please feel free to contact me at any time.

Sincerely,

A handwritten signature in black ink, appearing to read "Jason McGuire".

Jason McGuire
Chief of Police

Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	4	5	5	4	3	3	9	3	3	41
Foundation	0	0	0	1	3	3	2	7	5	3	11	4	39
Footing drains	0	0	0	0	1	5	0	4	2	1	3	0	16
Floor Framing	0	0	0	1	1	4	0	2	1	0	4	0	13
Shearwall	0	0	0	0	1	3	0	0	2	4	3	4	17
Sewer	0	0	0	0	1	0	0	1	2	2	0	1	7
Water	0	0	0	0	1	2	0	1	4	0	0	2	10
Storm	0	0	2	1	1	2	0	1	2	1	0	1	11
Framing	2	0	0	0	1	1	5	1	2	3	4	3	22
Plumbing	2	2	0	0	2	1	5	1	4	5	8	1	31
Mechanical	2	1	2	1	1	1	6	1	2	2	6	7	32
Insulation	1	1	0	0	1	0	1	1	2	1	3	3	14
Sheetrock	0	0	0	0	1	0	5	1	0	2	4	3	16
Patio	0	0	0	0	0	0	1	1	2	0	2	1	7
Final	1	1	0	0	0	1	1	5	3	5	1	4	22
Red Tags	1	0	0	1	0	0	0	0	1	1	2	0	6
OTHERS	5	6	7	6	6	5	8	16	15	13	15	9	111
TOTAL	16	11	11	15	26	33	38	46	52	52	69	46	415
Permits Taken	6	0	3	15	44	15	8	11	17	34	10	7	171

Planning and Counsel meetings

Hand out door Hangars

Priority 1

- 12/2/13 Meter re-reads and move-in and move outs.**
Due Date: None
Category: Water
- 12/3/13 Salt streets for freezing weather.**
Due Date: None
Category: Streets
- 12/3/13 Two CIPs on filter backwash skid. River dirty up.**
Due Date: None
Category: Water
- 12/2/13 Make ready sander and truck.**
Due Date: None
Category: Streets
- 12/2/13 Go get Kabota tractor and put in the shed for the winter.**
Due Date: None
Category: Parks
- 12/2/13 Collect all December water samples and get to Water Management for the month.**
Due Date: None
Category: Water
- 12/3/13 Hose and clean chemical room floor at the WTP.**
Due Date: None
Category: Water
- 12/3/13 Daily chlorine residual and check Center St. pump house and 300,000 gallon reservoir. Daily**
Due Date: None
Category: Water
- 12-4-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-4-13 Work on headworks at WWTP.**
Due Date: None
Category: Wastewater
- 12-4-13 Work on salt spreader cable and shop truck.**
Due Date: None
Category: Streets
- 12-5-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-5-13 Winterize headworks and check and replace bad heat tapes.**
Due Date: None
Category: Wastewater

- 12-5-13 Work on WTP problem will filter communications.**
Due Date: None
Category: Water
- 12-6-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-6-13 Josh off taking water test.**
Due Date: None
Category: Water
- 12-6-13 Send in WWTP permit samples.**
Due Date: None
Category: Wastewater
- 12-6-13 Put out barricades for parade.**
Due Date: None
Category: Streets
- 12-6-13 Work all night on WTP communication alarm. Call in QCC to help diagnose and repair electronics.**
Due Date: None
Category: Water
- 12-7-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-7-13 Help Dan fixen frozen pipes at town square bathroom.**
Due Date: None
Category: Parks
- 12-8-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-8-13 Work on froze up headworks at WWTP.**
Due Date: None
Category: Wastewater
- 12-9-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 12-9-13 Put out 120 late payment door hangers.**
Due Date: None
Category: Water/Sewer
- 12-9-13 Help power crew pull cable.**
Due Date: None
Category: Power and Light
- 12-9-13 Put down salt for de-icing roads.**
Due Date: None
Category: Streets

- 12-9-13 Shut off various houses water around town due to homeowner frozen/broken pipes.**
 Due Date: None
 Category: Water
- 12-9-13 Josh testing.**
 Due Date: None
 Category: Water
- 12-10-13 Daily water and wastewater lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-10-13 Shut off broken pipe at community center.**
 Due Date: None
 Category: Parks
- 12-10-13 Crew in early for road de-icing.**
 Due Date: None
 Category: Streets
- 12-10-13 keep trying to de-thaw headworks.**
 Due Date: None
 Category: Wastewater
- 12-10-13 Fill bad pot holes on Hilligoss.**
 Due Date: None
 Category: Streets
- 12-10-13 Meet with wastewater volunteer.**
 Due Date: None
 Category: Wastewater
- 12-11-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-11-13 Fix WWTP headworks and get running correctly.**
 Due Date: None
 Category: Wastewater
- 12-11-13 Help citizen look for water leak.**
 Due Date: None
 Category: Water
- 12-11-13 Clean soda ash lines at WTP.**
 Due Date: None
 Category: Water
- 12-11-13 Change acid barrel at WTP.**
 Due Date: None
 Category: Water
- 12-11-13 Fix clogged drain at community center.**
 Due Date: None
 Category: Parks
- 12-11-13 Locate water services to be removed on Mashell.**
 Due Date: None
 Category: Water
- 12-12-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-12-13 Locate and expose water valves on Lynch by Airport.**
 Due Date: None
 Category: Water
- 12-12-13 Check all sewer lift stations.**
 Due Date: None
 Category: Wastewater
- 12-12-13 Clean more soda ash pipes at WTP. Are plugging up and crystalizing for some reason.**
 Due Date: None
 Category: Water
- 12-12-13 Meter re-reads and move in/out.**
 Due Date: None
 Category: Water/Sewer
- 12-13-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-13-13 Work on blowers at WWTP.**
 Due Date: None
 Category: Wastewater
- 12-13-13 Work on WWTP headworks hycor.**
 Due Date: None
 Category: Wastewater
- 12-14-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-15-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-16-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-16-13 Work on pumps at APP lift station. Both pumps clogged up.**
 Due Date: None
 Category: Wastewater
- 12-16-13 Get parts ready for water main tap on Lynch.**
 Due Date: None
 Category: Water

- 12-16-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 12-17-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-17-13 Instal new water service on Lynch.**
 Due Date: None
 Category: Water
- 12-18-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-18-13 Check APP lft station pumps.**
 Due Date: None
 Category: Wastewater
- 12-18-13 Instal water meter on Lynch.**
 Due Date: None
 Category: Water
- 12-18-13 Work on valve failure issue on WTP filter 1.**
 Due Date: None
 Category: Water
- 12-19-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-19-13 Instal new digester sludge pump at WWTP.**
 Due Date: None
 Category: Wastewater
- 12-19-13 Training at WWTP.**
 Due Date: None
 Category: Wastewater
- 12-19-13 Check amp draws on APP liftstation pumps to see if re-clogging.**
 Due Date: None
 Category: Wastewater
- 12-20-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-20-13 Crew in for snow/ice removal.**
 Due Date: None
 Category: Streets
- 12-20-13 Change out 'Eductor' T on filter 1 at WTP.**
 Due Date: None
 Category: Water
- 12-20-13 Offload delivery at WTP.**
 Due Date: None
 Category: Water
- 12-21-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-22-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-22-13 WTP alarm for low air pressure. Change out bad valve actuators.**
 Due Date: None
 Category: Water
- 12-23-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-23-13 Change out leaking valve on filter 1 at WTP.**
 Due Date: None
 Category: Water
- 12-23-13 Distribute paper products to parks.**
 Due Date: None
 Category: Parks
- 12-23-13 Fix clogged pipe at community center.**
 Due Date: None
 Category: Parks
- 12-23-13 Deliver bicycles to comm center for giveaway.**
 Due Date: None
 Category: Parks
- 12-23-13 Read meters.**
 Due Date: None
 Category: Water
- 12-24-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 12-24-13 Check lift stations.**
 Due Date: None
 Category: Wastewater
- 12-24-13 Change acid barrel at WTP.**
 Due Date: None
 Category: Water
- 12-24-13 Run multiple CIPs on backwash skid.**
 Due Date: None
 Category: Water
- 12-24-13 Hose headworks.**
 Due Date: None
 Category: Wastewater

12-25-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-26-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-26-13 Clean all lift stations.

Due Date: None
Category: Wastewater

12-26-13 Clean Chem room at WTP.

Due Date: None
Category: Water

12-26-13 Update cross connection system.

Due Date: None
Category: Water

12-26-13 Change CL-17 bottles at concrete reservoir.

Due Date: None
Category: Wastewater

12-26-13 Climb concrete reservoir and secure and lock hatch and ladder.

Due Date: None
Category: Water

12-27-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-27-13 Meter re-reads.

Due Date: None
Category: Water/Sewer

12-27-13 Change oil and filters in Filter 1 air compressor at WTP.

Due Date: None
Category: Water

12-28-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-29-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-30-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-30-13 Training at WTP.

Due Date: None
Category: Water

12-30-13 Meter re-reads.

Due Date: None
Category: Water/Sewer

12-30-13 Dig up and remove non-needed water services at new housing area on Mashell.

Due Date: None
Category: Water

12-31-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

12-31-13 Change oil in Filter 2 air compressor at WTP.

Due Date: None
Category: Water

12-31-13 Paint over graffiti in bathroom at park.

Due Date: None
Category: Parks

FIRE & RESCUE

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931
eatonvillefire@eatonville-wa.gov

***Monthly Report
December 2013***

9 Fire
4 Auto Accident
29 Aid
4 Service
46 Total

Mutual aid responses with District 17 -- 18
Mutual aid responses with District 23 -- 5
Mutual aid response with District 21 -- 1
Mutual aid responses with NPS -- 0

2012 YEAR TO DATE TOTAL -- 662
2013 YEAR TO DATE TOTAL -- 694

Transports -- 19
ALS -- 17
BLS -- 2

2012 transports year to date -- 281
2013 transports year to date -- 308

For the month of December the total amount billed for ambulance transports was \$25,532.84

Total amount billed for ambulance transports to date -- \$417,583.06

Eatonville Fire Department


Eatonville, WA

This report was generated on 1/6/2014 9:57:50 AM



Breakdown by Major Incident Types for Date Range

Start Date: 12/01/2013 | End Date: 12/31/2013



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	4	8.70%
Rescue & Emergency Medical Service	33	71.74%
Hazardous Condition (No Fire)	3	6.52%
Service Call	2	4.35%
Good Intent Call	3	6.52%
False Alarm & False Call	1	2.17%
TOTAL	46	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	2	4.35%
114 - Chimney or flue fire, confined to chimney or flue	1	2.17%
131 - Passenger vehicle fire	1	2.17%
320 - Emergency medical service, other	1	2.17%
321 - EMS call, excluding vehicle accident with injury	28	60.87%
322 - Motor vehicle accident with injuries	3	6.52%
324 - Motor vehicle accident with no injuries.	1	2.17%
400 - Hazardous condition, other	1	2.17%
443 - Breakdown of light ballast	1	2.17%
444 - Power line down	1	2.17%
511 - Lock-out	1	2.17%
522 - Water or steam leak	1	2.17%
611 - Dispatched & cancelled en route	2	4.35%
622 - No incident found on arrival at dispatch address	1	2.17%
745 - Alarm system activation, no fire - unintentional	1	2.17%
TOTAL INCIDENTS:	46	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department


Eatonville, WA

This report was generated on 1/6/2014 9:56:25 AM



Incident Type Count per Zone for Date Range

Start Date: 12/01/2013 | End Date: 12/31/2013



ZONES	INCIDENT TYPE	COUNT
17 - South Pierce		
	111 - Building fire	2
	131 - Passenger vehicle fire	1
	321 - EMS call, excluding vehicle accident with injury	6
	322 - Motor vehicle accident with injuries	3
	324 - Motor vehicle accident with no injuries.	1
	444 - Power line down	1
	611 - Dispatched & cancelled en route	2
	622 - No incident found on arrival at dispatch address	1
	745 - Alarm system activation, no fire - unintentional	1
	<i>Total Incidents for 17 - South Pierce:</i>	18
21 - Graham Fire		
	321 - EMS call, excluding vehicle accident with injury	1
	<i>Total Incidents for 21 - Graham Fire:</i>	1
23 - Ashford/Elbe		
	321 - EMS call, excluding vehicle accident with injury	5
	<i>Total Incidents for 23 - Ashford/Elbe:</i>	5
84 - Eatonville		
	114 - Chimney or flue fire, confined to chimney or flue	1
	320 - Emergency medical service, other	1
	321 - EMS call, excluding vehicle accident with injury	16

Zone information is defined on the Basic Info 3 screen of an incident.
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	400 - Hazardous condition, other	1
	443 - Breakdown of light ballast	1
	511 - Lock-out	1
	522 - Water or steam leak	1
	<i>Total Incidents for 84 - Eatonville:</i>	22
	<i>Total Count for all Zone:</i>	46

Zone information is defined on the Basic Info 3 screen of an incident.
Only REVIEWED incidents included.

The Youth Connection

Community Service

November, 2013

3 Teens Mentoring

18 Total Hours

8 Adults Attended board meeting

8 Total hours

12 Adults served Thanksgiving Dinner

48 Hours total

74 Total Hours of Service to the Community

Signature

Alana Smith

Date: December 10, 2013

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT DECEMBER 2013

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
12/04/13	Centerpoint	\$250/month
12/07/13	Youth Connection	n/a
12/07/13	Eatonville Family Agency	n/a
12/08/13	Eatonville Family Agency	n/a
12/11/13	Centerpoint	\$250/month
12/18/13	Centerpoint	\$250/month
12/21/13	Rental	\$30
12/25/13	Centerpoint	\$250/month

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
12/02/13	Senior Surprise	n/a
12/03/13	Town of Eatonville	n/a
12/06/13	Town of Eatonville	n/a
12/06/13	Chamber of Commerce	n/a
12/07/13	Chamber of Commerce	n/a
12/08/13	Chamber of Commerce	n/a
12/14/13	Senior Surprise	n/a
12/16/13	Senior Surprise	n/a
12/17/13	Finance Committee	n/a
12/19/13	Dollars for Scholars	n/a
12/21/13	Senior Surprise	n/a
12/26/13	Town of Eatonville	n/a
12/30/13	Senior Surprise	

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT NOVEMBER 2013

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
11/02/13	Youth Connection	n/a
11/06/13	Centerpoint	\$250/month
11/09/13	Eatonville Family Agency	n/a
11/10/13	Eatonville Family Agency	n/a
11/13/13	Centerpoint	\$250/month
11/14/13	Mike Schaub Budget Presentation	n/a
11/16/13	Youth Connection	n/a
11/20/13	Centerpoint	\$250/month
11/21/13	Mike Schaub Budget Presentation	n/a
11/22/13	Youth Connection	n/a
11/25/13	Eatonville Family Agency	n/a
11/26/13	Eatonville Family Agency	n/a
11/27/13	Eatonville Family Agency	n/a
11/27/13	Centerpoint	\$250/month

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
11/01/13	Town of Eatonville	n/a
11/04/13	Town of Eatonville	n/a
11/06/13	Senior Surprise	n/a
11/18/13	Senior Surprise	n/a
11/19/13	Finance Committee	n/a
11/21/13	Dollars for Scholars	n/a
11/22/13	Salmon Festival	n/a

EATONVILLE POWER & LIGHT DECEMBER REPORT

Superintendent Dan Sharpe Linemen Nestor Sundita Apprentice Jesse Carroll

Street lights repairs

Repaired 8 street lights
Community center light
Christmas light at town square

Disconnect Reconnect

Shutoffs 7
Disconnect 5
Reconnect 3

New hookups

House hook up 1
Temporary hookup 1
Re hookup 1

Misc.

Park maintenance and garbage pickup
Substation work
Door hangers
Assisted water crew
Assisted sewer crew
Sent in rubber gloves to be tested and blankets
Bikes for Christmas give away
Training on street de icing
Cameras at Milltown parks