

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 01/01/2013
And 01/31/2013

Incident Log Report

Printed On: Tue, Feb 05, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000001	WA0270500	01/04/2013 10:43	E4	Runaway
2013000002	WA0270500	01/04/2013 20:42	ea7	Vehicle Prowl
2013000003	WA0270500	01/05/2013 11:29	E4	Residential Burglary
2013000004	WA0270500	01/07/2013 11:21	EA1	Fraud - Debit Card
2013000005	WA0270500	01/07/2013 15:52	E5	Assault 4 DV
2013000006	WA0270500	01/08/2013 13:24	E4	Malicious Mischief 3
2013000007	WA0270500	01/08/2013 14:25	E4	Agency Assist, Burglary In Progress, PCSO
2013000008	WA0270500	01/08/2013 21:06	E5	Vehicle Prowl, Theft 3
2013000009	WA0270500	01/10/2013 11:05	E4	Veh Hit/Run Unattended
2013000010	WA0270500	01/10/2013 18:04	E5	Unlawful Entry, Theft 3
2013000011	WA0270500	01/11/2013 12:14	E4	Warrant Arrest
2013000012	WA0270500	01/11/2013 16:47	E4	Trafficking in Stolen Property 1
2013000013	WA0270500	01/12/2013 13:45	E4	Verbal DV
2013000014	WA0270500	01/14/2013 13:40	EA1	Malicious Mischief 3
2013000015	WA0270500	01/14/2013 22:44	E5	Agency Assist, Fire Alarm, EFD
2013000016	WA0270500	01/16/2013 16:02	E4	Agency Assist, MVC, WSP
2013000017	WA0270500	01/18/2013 15:49	ea7	Stolen Vehicle Recovery
2013000018	WA0270500	01/18/2013 22:51	ea7	Burglary, Forced Entry
2013000019	WA0270500	01/19/2013 14:32	E4	DWLS 3
2013000020	WA0270500	01/21/2013 17:34	E5	Shoplifting, Theft 3
2013000021	WA0270500	01/23/2013 11:37	E4	Harrassment, Trespass Order Served
2013000022	WA0270500	01/24/2013 08:46	E4	Animal at Large
2013000023	WA0270500	01/24/2013 12:38	EA1	Theft of Medication
2013000024	WA0270500	01/24/2013 12:34	E4	UPCS Marijuana <
2013000025	WA0270500	01/25/2013 13:56	E4	Animal at Large
2013000026	WA0270500	01/26/2013 03:25	E4	Agency Assist, DUI, MVC, EFD & PCSD
2013000027	WA0270500	01/26/2013 18:39	ea7	Harassment Malicious, DV
2013000028	WA0270500	01/27/2013 14:40	EA1	Agency Assist, Fire, EFD
2013000029	WA0270500	01/28/2013 14:54	EA1	Reckless Vehicle
2013000030	WA0270500	01/28/2013 14:48	E5	Warrant Arrest

Eatonville Police Department

Incident Log Report

Printed On: Tue, Feb 05, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2013000031	WA0270500	01/29/2013 07:50	E4	Verbal DV
2013000032	WA0270500	01/29/2013 11:16	EA1	Malicious Mischief 3
2013000033	WA0270500	01/29/2013 13:50	E4	FACR
2013000034	WA0270500	01/30/2013 14:52	E4	Verbal DV
2013000035	WA0270500	01/30/2013 19:39	E5	DUI
2013000036	WA0270500	01/31/2013 10:32	E4	Agency Assist, Medical, EFD

Total Records: 36

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 01/01/2013
And 01/31/2013

Citation Log Report

Printed On: Tue, Feb 05, 2013

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z0039180	WA0270500	1/19/2013 14:32	E4	DWLS 3
C3Z0087478	WA0270500	1/26/2013 18:39	ea7	Harassment Malicious, DV
C3Z0087479	WA0270500	1/30/2013 19:39	E5	DUI
I17544	WA0270500	1/10/2013 11:23	E4	No Parking to Obstruct Driveway
I3Z0039179	WA0270500	1/1/2013 09:58	E4	39/25
I3Z0085445	WA0270500	1/1/2013 18:20	E5	38/25
I3Z0087301	WA0270500	1/1/2013 19:48	ea7	Cell Phone While Driving, Fail to Signal
I3Z0087462	WA0270500	1/4/2013 16:14	ea7	42/25
I3Z0087463	WA0270500	1/5/2013 17:43	ea7	Def Headlight, No Insurance, Exp Tabs >
I3Z0087464	WA0270500	1/11/2013 18:13	ea7	No Seat Belt
I3Z0087465	WA0270500	1/12/2013 15:58	ea7	37/25
I3Z0087466	WA0270500	1/12/2013 16:54	ea7	No Mirrors
I3Z0087467	WA0270500	1/12/2013 22:05	ea7	No Front Plate
I3Z0087468	WA0270500	1/15/2013 16:46	ea7	No Seat Belt, No Insurance
I3Z0087469	WA0270500	1/17/2013 19:02	ea7	No Seat Belt, No Insurance
I3Z0087470	WA0270500	1/17/2013 19:04	ea7	No Seat Belt
I3Z0087471	WA0270500	1/19/2013 16:11	ea7	No Front Plate, No Mud Flaps
I3Z0087472	WA0270500	1/19/2013 16:24	ea7	Exp Tabs >
I3Z0087473	WA0270500	1/19/2013 16:30	ea7	No Mud Flaps, No Insurance
I3Z0087474	WA0270500	1/19/2013 17:14	ea7	No Insurance, No Front Plate
I3Z0087475	WA0270500	1/23/2013 18:21	ea7	No Passing, No License on Person
I3Z0087476	WA0270500	1/26/2013 16:01	ea7	No Mud Flaps
I3Z0087477	WA0270500	1/26/2013 16:58	ea7	No Front Plate, No Mud Flaps, No Ins
I3Z0087480	WA0270500	1/30/2013 19:39	E5	Fail To Stop at Stop Sign, No Insurance
I3Z0136496	WA0270500	1/20/2013 17:28	E5	43/25
I3Z0158365	WA0270500	1/26/2013 16:26	11	Expired Tabs <
I3Z0158366	WA0270500	1/26/2013 20:56	11	35/25, No Insurance
I3Z0192300	WA0270500	1/24/2013 08:46	E4	Animal at Large

Priority 1

- 1-1-13 Plant testing on holiday.**
Due Date: None
Category: Unfiled
- 1-2-13 Treatment Plant testing.**
Due Date: None
Category: Unfiled
- 1-2-13 Work on WTP forms.**
Due Date: None
Category: Unfiled
- 1-2-13 Check dow reservoir probes.**
Due Date: None
Category: Unfiled
- 1-3-13 Daily treatment plant testing.**
Due Date: None
Category: Unfiled
- 1-3-13 Compile data for WWTP annual reports.**
Due Date: None
Category: Unfiled
- 1-3-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 1-3-13 Salt icy roads.**
Due Date: None
Category: Unfiled
- 1-4-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-4-13 Work on WWTP annual reports.**
Due Date: None
Category: Unfiled
- 1-4-13 Clean soda ash Y strainer.**
Due Date: None
Category: Unfiled
- 1-4-13 Fix waste pump at WTP.**
Due Date: None
Category: Unfiled
- 1-4-13 Free stuck backhoe.**
Due Date: None
Category: Unfiled
- 1-5-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-6-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-7-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-7-13 Finish and mail WWTP annual reports.**
Due Date: None
Category: Unfiled
- 1-7-13 Put out door hangers.**
Due Date: None
Category: Unfiled
- 1-8-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-8-13 Run CIP on backwash skid at WTP.**
Due Date: None
Category: Unfiled
- 1-9-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-9-13 Send cross connection letters.**
Due Date: None
Category: Unfiled
- 1-9-13 Clean around WWTP.**
Due Date: None
Category: Unfiled
- 1-9-13 Get snow removal stuff ready and pre salt around town.**
Due Date: None
Category: Unfiled
- 1-9-13 Salt hills and intersections in afternoon.**
Due Date: None
Category: Unfiled
- 1-10-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-10-13 Clean at WTP.**
Due Date: None
Category: Unfiled
- 1-10-13 Organize WWTP lab.**
Due Date: None
Category: Unfiled
- 1-10-13 Check on sewer connection at 802 Eatonville HWY.**
Due Date: None
Category: Unfiled

- 1-10-13 Salt hills in afternoon.**
Due Date: None
Category: Unfiled
- 1-11-13 Crew in early to salt hills for ice conditions.**
Due Date: None
Category: Unfiled
- 1-11-13 Finish and send annual WUE report to DOH.**
Due Date: None
Category: Unfiled
- 1-11-13 Fill pot holes at town hall.**
Due Date: None
Category: Unfiled
- 1-11-13 Check around town for leaks.**
Due Date: None
Category: Unfiled
- 1-11-13 Clean soda ash Y strainer at WTP.**
Due Date: None
Category: Unfiled
- 1-12-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-13-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-14-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-14-13 Work on sludge pump at WWTP.**
Due Date: None
Category: Unfiled
- 1-14-13 Start meter reads.**
Due Date: None
Category: Unfiled
- 1-14-13 Set up community center for council meeting.**
Due Date: None
Category: Unfiled
- 1-15-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-15-13 Continue meter reads.**
Due Date: None
Category: Unfiled
- 1-15-13 Work on frozen sludge pipe at WWTP.**
Due Date: None
Category: Unfiled
- 1-15-13 Check for water leak on Eatonville HWY.**
Due Date: None
Category: Unfiled
- 1-15-13 Meet w/rainierconnect to get modem fixed at WTP.**
Due Date: None
Category: Unfiled
- 1-15-13 Open gate at smallwood park.**
Due Date: None
Category: Unfiled
- 1-16-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-16-13 Continue meter reads.**
Due Date: None
Category: Unfiled
- 1-16-13 Fix sludge pipe at WWTP and heat tape to prevent freezing.**
Due Date: None
Category: Unfiled
- 1-16-13 Final lagoon project walk through.**
Due Date: None
Category: Unfiled
- 1-17-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-17-13 Continue meter reads.**
Due Date: None
Category: Unfiled
- 1-17-13 Put down salt on icy hills in morning.**
Due Date: None
Category: Unfiled
- 1-17-13 Data showing large possible water leak. Begin leak detection around town.**
Due Date: None
Category: Unfiled
- 1-18-13 Daily water and wastewater lab testing.**
Due Date: None
Category: Unfiled
- 1-18-13 Continue meter reads.**
Due Date: None
Category: Unfiled

- 1-18-13 listen to valves and hydrants around town to find water leak.**
Due Date: None
Category: Unfiled
- 1-18-13 Tighten up hydrants left part open by fire dept.**
Due Date: None
Category: Unfiled
- 1-19-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-20-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-20-13 Put salt on icy hills.**
Due Date: None
Category: Unfiled
- 1-21-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-22-13 Work with leak detector to pin point possible water leaks.**
Due Date: None
Category: Unfiled
- 1-22-13 Continue meter reads.**
Due Date: None
Category: Unfiled
- 1-22-13 Install water meter box lid on Dow ridge.**
Due Date: None
Category: Unfiled
- 1-22-13 Update cross connection data.**
Due Date: None
Category: Unfiled
- 1-23-13 Fix broken water main on Ridge rd and Penn Ave.**
Due Date: None
Category: Unfiled
- 1-23-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled

- 1-24-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-24-13 Meter reads.**
Due Date: None
Category: Unfiled
- 1-24-13 Dig full grave at cemetary.**
Due Date: None
Category: Unfiled
- 1-24-13 Work on WUE annual report.**
Due Date: None
Category: Unfiled
- 1-24-13 Take apart and fix broken water pump.**
Due Date: None
Category: Unfiled
- 1-25-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-25-13 Preform full service burial at cemetary.**
Due Date: None
Category: Unfiled
- 1-25-13 Offload chemical delivery at WTP.**
Due Date: None
Category: Unfiled
- 1-25-13 Sweep streets.**
Due Date: None
Category: Unfiled
- 1-26-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-27-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-28-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-28-13 Continue leak detection. Still loosing 60-80 GPM.**
Due Date: None
Category: Unfiled

- 1-28-13 Finish 2013 WUE report.**
Due Date: None
Category: Unfiled
- 1-29-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-29-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 1-29-13 Check sewer lift stations.**
Due Date: None
Category: Unfiled
- 1-29-13 Fix SCADA system at WWTP.**
Due Date: None
Category: Unfiled
- 1-30-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled
- 1-30-13 Dig up water service on Eatonville Hwy to prove to customer that his water leak is NOT on town equipment.**
Due Date: None
Category: Unfiled
- 1-30-13 Meter re-reads.**
Due Date: None
Category: Unfiled
- 1-30-13 Locate valves for up coming water main repair.**
Due Date: None
Category: Unfiled
- 1-30-13 Put out door hangers to warn people of water shut off for repair.**
Due Date: None
Category: Unfiled
- 1-30-13 Locate various hard to find water meters around town.**
Due Date: None
Category: Unfiled
- 1-31-13 Daily water and wastewater lab testing and system checks.**
Due Date: None
Category: Unfiled

- 1-31-13 Cut blacktop for water main repair tomorrow.**
Due Date: None
Category: Unfiled
- 1-31-13 Pre-position baracades and signs for water main repair.**
Due Date: None
Category: Unfiled
- 1-31-13 Meter re-reads.**
Due Date: None
Category: Unfiled

JANUARY MONTHLY REPORT **Eatonville Power & Light**

Superintendent-Dan Sharpe Linemen – Nestor Sundita & Terry Moore

Street Lights – Repairs

Street light repairs - 3

Power Lines

2nd feeder – Sub-station work

2nd Feeder Pad Mount

2nd Feeder riser pole @ Washington & Lynch streets

2nd Feeder work @ Orchard Ave.

Disconnects / Reconnects

Reconnect - 7

Disconnects - 11

Door Hangers

Meter rereads

Misc

Garbage pickup in the parks X4

Power Outage @ Ridge Road

Water leak at Ridge Road

Cemetery burials – 2

Call in to assist at Sears building due to a fire

Repair & replace lights @ Town Hall

Underground work & riser pole @ Washington & Carter streets

Meeting re: electrical for Eatonville Cottage homes on Eatonville Hwy.

FIRE / EMS

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931
catonvillefire@catonville-wa.gov

*Monthly Report
January 2013*

10 Fire
2 Auto Accident
37 Aid
0 Service
49 *Total*

Mutual aid responses with District 17 -- 18
Mutual aid responses with District 23 -- 4
Mutual aid response with District 21 -- 1
Mutual aid responses with NPS -- 0

2012 YEAR TO DATE TOTAL --
2013 YEAR TO DATE TOTAL -- 49

Transports -- 22
ALS -- 21
BLS -- 1

2012 transports year to date -- 26
2013 transports year to date -- 22

For the month of January the total amount billed for ambulance transports was \$29,281.00.

Eatonville Fire Department

Eatonville, WA

This report was generated on 2/5/2013 1:52:35 PM



Incident Type per Zone for Date Range

Start Date: 01/01/2013 | End Date: 01/31/2013

INCIDENT TYPE	# INCIDENTS
Zone: 17 - South Pierce	
111 - Building fire	3
121 - Fire in mobile home used as fixed residence	1
142 - Brush or brush-and-grass mixture fire	1
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	9
322 - Motor vehicle accident with injuries	1
611 - Dispatched & cancelled en route	2

Zone: 21 - Graham Fire	
324 - Motor vehicle accident with no injuries.	1

Zone: 23 - Ashford/Elbe	
321 - EMS call, excluding vehicle accident with injury	4

Zone: 84 - Eatonville	
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	22
441 - Heat from short circuit (wiring), defective/worn	1
443 - Breakdown of light ballast	1
733 - Smoke detector activation due to malfunction	1

Only REVIEWED incidents included

Eatonville Fire Department


Eatonville, WA

This report was generated on 2/5/2013 1:49:16 PM



Breakdown by Major Incident Types for Date Range

Start Date: 01/01/2013 | End Date: 01/31/2013



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	5	10.20%
Rescue & Emergency Medical Service	39	79.59%
Hazardous Condition (No Fire)	2	4.08%
Good Intent Call	2	4.08%
False Alarm & False Call	1	2.04%
TOTAL	49	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
111 - Building fire	3	6.12%
121 - Fire in mobile home used as fixed residence	1	2.04%
142 - Brush or brush-and-grass mixture fire	1	2.04%
320 - Emergency medical service, other	2	4.08%
321 - EMS call, excluding vehicle accident with injury	35	71.43%
322 - Motor vehicle accident with injuries	1	2.04%
324 - Motor vehicle accident with no injuries.	1	2.04%
441 - Heat from short circuit (wiring), defective/worn	1	2.04%
443 - Breakdown of light ballast	1	2.04%
611 - Dispatched & cancelled en route	2	4.08%
733 - Smoke detector activation due to malfunction	1	2.04%
TOTAL INCIDENTS:	49	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.