

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 01/01/2012**  
**And 01/31/2012**

**Incident Log Report**

**Printed On: Thu, Feb 02, 2012**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2012000001	WA0270500	01/02/2012 01:27	5	Assault 4, Malicious Mischief 3
2012000002	WA0270500	01/02/2012 13:43	11	Information, Evidence Destruction
2012000003	WA0270500	01/02/2012 13:44	11	Information, Drug Destruction
2012000004	WA0270500	01/02/2012 13:57	ea7	Warrant Arrest
2012000005	WA0270500	01/02/2012 16:53	5	Warrant Arrest
2012000006	WA0270500	01/02/2012 18:56	5	Harassing Phone Calls
2012000007	WA0270500	01/02/2012 23:00	5	Agency Assist, WSP, Vehicle Fire
2012000008	WA0270500	01/03/2012 12:27	ea7	Information, Poss Burglary
2012000009	WA0270500	01/03/2012 13:18	ea7	Warrant Transport
2012000010	WA0270500	01/03/2012 16:29	ea7	DWLS 3
2012000011	WA0270500	01/01/2012 14:52	E12	Security Detail
2012000012	WA0270500	01/04/2012 13:59	ea7	Fraud, Bank Acct
2012000013	WA0270500	01/05/2012 00:37	E12	DUI
2012000014	WA0270500	01/05/2012 22:58	E12	DWLS 3
2012000015	WA0270500	01/06/2012 22:42	E12	DUI
2012000016	WA0270500	01/07/2012 01:23	E12	Agency Assist, MVC, WSP
2012000017	WA0270500	01/07/2012 14:53	4	Assault 4th, Extortion 1
2012000018	WA0270500	01/07/2012 18:09	3	Vehicular Assault
2012000019	WA0270500	01/07/2012 20:26	E12	DWLS 3
2012000020	WA0270500	01/08/2012 00:41	3	Agency Assist, PCSO, Shots Fired
2012000021	WA0270500	01/09/2012 14:21	ea7	Welfare Check
2012000022	WA0270500	01/10/2012 10:57	ea7	Violation Court Order, DV
2012000023	WA0270500	01/11/2012 11:44	E1	Assault 2, Assault 4
2012000024	WA0270500	01/11/2012 19:30	3	Welfare Check, Guns Safekeeping
2012000025	WA0270500	01/12/2012 14:39	4	Parental Issues
2012000026	WA0270500	01/13/2012 09:18	4	Check Fraud
2012000027	WA0270500	01/13/2012 10:32	4	Nuisance Animal (Barking Dog)
2012000028	WA0270500	01/13/2012 16:53	3	Welfare Check
2012000029	WA0270500	01/13/2012 22:11	E12	DUI
2012000030	WA0270500	01/14/2012 02:57	3	Agency Assist, PCSO, Stabbing Suspects

## Eatonville Police Department

### Incident Log Report

Printed On: Thu, Feb 02, 2012

Case Number	NCIC	Date Reported	Officer	Offense
Location				
2012000031	WA0270500	01/14/2012 19:47	E12	Agency Assist, PCSO, MVA
2012000032	WA0270500	01/14/2012 20:26	E12	DWLS 3
2012000033	WA0270500	01/15/2012 10:20	ea7	DWLS 3, Warrant Arrest Oth.
2012000034	WA0270500	01/16/2012 15:39	E12	Reckless Driving
2012000035	WA0270500	01/16/2012 20:53	E12	DWLS 3
2012000036	WA0270500	01/16/2012 23:23	5	Criminal Trespass, Verbal DV
2012000037	WA0270500	01/17/2012 09:26	ea7	Damage to Town Vehicle
2012000038	WA0270500	01/17/2012 13:31	ea7	DWLS 3
2012000039	WA0270500	01/18/2012 10:56	ea7	Off Road Vehicle Complaint
2012000040	WA0270500	01/18/2012 21:53	E12	DWLS 3
2012000041	WA0270500	01/18/2012 22:20	5	Assist Agency, EFD, Chimney Fire
2012000042	WA0270500	01/19/2012 06:03	E1	Violation of Court Order, DV
2012000043	WA0270500	01/19/2012 12:42	E1	Violation of Protection Order, DV
2012000044	WA0270500	01/20/2012 03:04	3	Agency Assist, Utilities, Power Outage
2012000045	WA0270500	01/21/2012 11:50	E1	Malicious Mischief 3, DV
2012000046	WA0270500	01/21/2012 20:23	E12	DWLS 3
2012000047	WA0270500	01/21/2012 22:39	3	Noise Complaint, MIP x 3
2012000048	WA0270500	01/22/2012 12:29	ea7	Agency Assist, EFD, Medical
2012000049	WA0270500	01/22/2012 17:21	5	Violation of Protection Order DV
2012000050	WA0270500	01/22/2012 18:11	5	Information, Custody Dispute
2012000051	WA0270500	01/23/2012 07:31	ea7	MVA
2012000052	WA0270500	01/23/2012 11:28	E4	Malicious Mischief 2
2012000053	WA0270500	01/24/2012 09:05	E7	Truancy
2012000054	WA0270500	01/24/2012 09:39	ea7	Child Abuse
2012000055	WA0270500	01/24/2012 12:05	E4	Animal Rescue
2012000056	WA0270500	01/25/2012 01:00	5	Agency Assist, EFD, Medical Aid
2012000057	WA0270500	01/25/2012 15:18	E7	Information Report CPS Referral
2012000058	WA0270500	01/25/2012 19:04	E12	Verbal DV
2012000059	WA0270500	01/25/2012 18:41	5	Agency Assist, PCSD, Felony Arrest
2012000060	WA0270500	01/25/2012 23:20	E12	DWLS 3, UPCS MJ<, Poss Drug Paraph
2012000061	WA0270500	01/26/2012 13:22	E1	Voluntary Commit
2012000062	WA0270500	01/26/2012 15:45	E1	MVA

## Eatonville Police Department

### Incident Log Report

Printed On: Thu, Feb 02, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2012000063	WA0270500	01/26/2012 17:55	E12	DUI
2012000064	WA0270500	01/27/2012 18:28	E12	DWLS 3, Warrant Arrest, Obstructing
2012000065	WA0270500	01/28/2012 21:12	3	Verbal DV
2012000066	WA0270500	01/29/2012 01:35	E12	DWLS 3
2012000067	WA0270500	01/29/2012 02:41	3	DWLS 3
2012000068	WA0270500	01/29/2012 18:53	5	DUI, DWLS 3
2012000069	WA0270500	01/30/2012 05:11	5	Missing Person Recovery
2012000070	WA0270500	01/30/2012 08:13	ea7	Assault 4, Malicious Mischief 3, Resisting Arrest
2012000071	WA0270500	01/30/2012 12:10	E4	Assault 4, DV x 2
2012000072	WA0270500	01/30/2012 17:16	ea7	Reckless Driving
2012000073	WA0270500	01/31/2012 10:08	ea7	DWLS 1, No Ignition Interlock
2012000074	WA0270500	01/31/2012 14:38	ea7	NVOL W/O ID
2012000075	WA0270500	01/31/2012 16:28	E7	Paper Service
2012000076	WA0270500	01/31/2012 21:08	5	Agency Assist, PCSD, DV

Total Records: 76

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 01/01/2012**  
**And 01/31/2012**

**Citation Log Report**

**Printed On: Thu, Feb 02, 2012**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C2Z0050790	WA0270500	1/3/2012 16:29	ea7	DWLS 3
C2Z0050793	WA0270500	1/15/2012 10:20	ea7	DWLS 3
C2Z0050798	WA0270500	1/17/2012 13:31	ea7	DWLS 3
C2Z0050808	WA0270500	1/30/2012 17:16	ea7	Reckless Driving
C2Z0050810	WA0270500	1/31/2012 10:08	ea7	VOID
C2Z0050812	WA0270500	1/31/2012 10:08	ea7	VOID
C2Z0050814	WA0270500	1/31/2012 14:38	ea7	NVOL W/O ID
C2Z0095806	WA0270500	1/2/2012 01:27	5	Malicious Mischief 3, Assault 4
C2Z0095807	WA0270500	1/22/2012 17:21	5	Violation of Protection Order DV
C2Z0096321	WA0270500	1/29/2012 18:53	5	DUI, DWLS 3
C2Z0096322	WA0270500	1/29/2012 18:53	5	Driving with Suspended Registration
C2Z0121039	WA0270500	1/5/2012 00:37	E12	DUI
C2Z0121042	WA0270500	1/5/2012 22:58	E12	DWLS 3
C2Z0121043	WA0270500	1/6/2012 22:42	E12	DUI
C2Z0121045	WA0270500	1/7/2012 20:26	E12	DWLS 3
C2Z0121047	WA0270500	1/13/2012 22:11	E12	DUI
C2Z0121048	WA0270500	1/13/2012 22:11	E12	Operating MV w/o Headlight
C2Z0127318	WA0270500	1/29/2012 02:41	3	DWLS 3
C2Z0142143	WA0270500	1/10/2012 10:57	ea7	Violation Court Order DV
C2Z0153669	WA0270500	1/14/2012 20:26	E12	DWLS 3
C2Z0153670	WA0270500	1/16/2012 15:39	E12	Reckless Driving
C2Z0153671	WA0270500	1/16/2012 20:53	E12	DWLS 3
C2Z0153673	WA0270500	1/18/2012 21:53	E12	DWLS 3
C2Z0153675	WA0270500	1/21/2012 20:23	E12	DWLS 3
C2Z0153677	WA0270500	1/25/2012 23:20	E12	DWLS 3
C2Z0161347	WA0270500	1/19/2012 12:42	E1	Violation of Protection Order DV
C2Z0161348	WA0270500	1/19/2012 06:03	E1	Violation Protection Order DV
C2Z0161350	WA0270500	1/21/2012 11:50	E1	Malicious Mischief 3, DV
C2Z0164729	WA0270500	1/21/2012 22:39	E12	MIP/C
C2Z0164730	WA0270500	1/21/2012 22:39	E12	MIP/C
C2Z0164731	WA0270500	1/21/2012 22:39	E12	MIP/C
C2Z0172145	WA0270500	1/25/2012 23:20	E12	UPCS MJ<, Poss Drug Paraph
C2Z0172148	WA0270500	1/27/2012 18:28	E12	DWLS 3
C2Z0172149	WA0270500	1/27/2012 18:28	E12	Obstructing A Public Servant
C2Z0172150	WA0270500	1/29/2012 01:35	E12	DWLS 3
C2Z0172416	WA0270500	1/26/2012 17:55	E12	DUI
C2Z0186188	WA0270500	1/31/2012 10:08	ea7	DWLS 1, No Ignition Interlock
117488	WA0270500	1/21/2012 13:45	E1	Parking Not to Obstruct Driveway
117511	WA0270500	1/10/2012 14:35	ea7	Exp Veh Tabs <
117512	WA0270500	1/10/2012 14:55	ea7	Helmet Required
117526	WA0270500	1/18/2012 10:56	ea7	Op Off-Road Veh on Hwy, Op MC w/o Helmet
117527	WA0270500	1/18/2012 10:56	ea7	Op Off-Road Veh on Hwy
117528	WA0270500	1/18/2012 10:56	ea7	Op Off-Road Veh on Hwy
117529	WA0270500	1/29/2012 11:29	E4	No Seatbelt
117530	WA0270500	1/29/2012 16:23	E4	Exp Tabs>, No Insurance, No Registration
12Z0050788	WA0270500	1/2/2012 10:06	ea7	Exp Tabs >
12Z0050789	WA0270500	1/2/2012 10:43	ea7	Exp Tabs >

## Eatonville Police Department

### Citation Log Report

Printed On: Thu, Feb 02, 2012

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
I2Z0050791	WA0270500	1/3/2012 16:29	ea7	No Seatbelt
I2Z0050792	WA0270500	1/9/2012 14:24	ea7	No Insurance, Carry Person Outside Veh
I2Z0050794	WA0270500	1/15/2012 10:20	ea7	Displ Plate Not Issued by DOL
I2Z0050795	WA0270500	1/16/2012 09:25	ea7	No Insurance
I2z0050796	WA0270500	1/16/2012 10:29	ea7	No Driver Lic on Person, Exp Tabs >
I2Z0050797	WA0270500	1/16/2012 11:14	ea7	Fail to Signal Stop/Turns, No Insurance
I2Z0050799	WA0270500	1/17/2012 13:31	ea7	No Insurance, Driving w/Wheels off Road
I2Z0050799	WA0270500	1/17/2012 13:37	ea7	No Insurance, Driving w/Wheels off Road
I2Z0050800	WA0270500	1/17/2012 16:12	ea7	Def Tail Light, No Mirrors, Exp Tab <
I2Z0050801	WA0270500	1/22/2012 07:40	ea7	39/25
I2Z0050802	WA0270500	1/22/2012 08:02	ea7	45/25 No DL on Person
I2Z0050803	WA0270500	1/22/2012 08:37	ea7	42/25
I2Z0050804	WA0270500	1/22/2012 09:23	ea7	39/25
I2Z0050805	WA0270500	1/22/2012 16:36	ea7	No Seatbelt, No Mud Flaps
I2Z0050806	WA0270500	1/24/2012 09:05	E4	Defective Windshield
I2Z0050807	WA0270500	1/24/2012 15:04	E4	Fail to Stop for School Patrol
I2Z0050809	WA0270500	1/31/2012 08:10	ea7	43/25
I2Z0050811	WA0270500	1/31/2012 10:08	ea7	VOID
I2Z0050813	WA0270500	1/31/2012 14:38	ea7	No Seatbelt
I2Z0096323	WA0270500	1/31/2012 23:14	5	41/25, Exp Tabs >
I2Z0121040	WA0270500	1/5/2012 00:37	E12	Def Lighting, DUI
I2Z0121041	WA0270500	1/5/2012 22:58	E12	Obstructed Plate
I2Z0121044	WA0270500	1/6/2012 22:42	E12	No Headlights
I2Z0121046	WA0270500	1/7/2012 20:26	E12	Fail to Signal
I2Z0121048	WA0270500	1/13/2012 22:11	E12	Operating MV w/o Headlight
I2Z0127319	WA0270500	1/29/2012 02:41	3	Broken Headlight
I2Z0153672	WA0270500	1/16/2012 20:53	E12	Defective Brake Light
I2Z0153674	WA0270500	1/18/2012 21:53	E12	Obscured License Plate
I2Z0153676	WA0270500	1/21/2012 20:23	E12	Exp Tabs <, Fail to Stop TCD
I2Z0153678	WA0270500	1/25/2012 23:20	E12	Obscured Plate, No Ins, No Registration
I2Z0172147	WA0270500	1/26/2012 17:55	E12	No Insurance, Stop/Turn Signal Req
I2Z0172151	WA0270500	1/29/2012 01:35	E12	No Headlights on Veh
I2Z0186189	WA0270500	1/31/2012 10:08	ea7	No VOL w/ID, No Insurance

DWLS = Driving while license suspended

DV = Domestic Violence

Fail to Stop TCD = Traffic Control Device

UPCS MJ = Unlawful Possession of Controlled Substance  
Marijuana

MVC = Motor Vehicle Collision

FACR = False Alarm Complaint Report

UIBC = Unlawful Issuance of Bank Check

DUI = Driving Under the Influence

PCSO = Pierce County Sheriffs Office

MVA = Motor Vehicle Accident

EFD = Eatonville Fire Department

WSP = Washington State Patrol

*FIRE & EMS*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

*Monthly Report  
January 2012*

22 Fire  
2 Auto Accident  
45 Aid  
8 Service  
77 Total

Mutual aid responses with District 17 -- 21  
Mutual aid responses with District 23 -- 11  
Mutual aid responses with NPS -- 2

2011 YEAR TO DATE TOTAL -- 65  
2012 YEAR TO DATE TOTAL -- 77

Transports -- 26  
ALS -- 22  
BLS -- 4

2011 transports year to date -- 23  
2012 transports year to date -- 26

# Eatonville Fire Department

Eatonville, WA

This report was generated on 2/7/2012 2:22:26 PM



## Incident Type per Zone for Date Range

StartDate: 01/01/2012 | EndDate: 01/31/2012

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
111 - Building fire	1
131 - Passenger vehicle fire	1
321 - EMS call, excluding vehicle accident with injury	8
322 - Motor vehicle accident with injuries	1
400 - Hazardous condition, other	1
500 - Service Call, other	2
611 - Dispatched & cancelled en route	6
700 - False alarm or false call, other	1

<b>Zone: 23 - Ashford/Elbe</b>	
321 - EMS call, excluding vehicle accident with injury	4
322 - Motor vehicle accident with injuries	1
611 - Dispatched & cancelled en route	6

<b>Zone: 84 - Eatonville</b>	
111 - Building fire	1
114 - Chimney or flue fire, confined to chimney or flue	1
320 - Emergency medical service, other	3
321 - EMS call, excluding vehicle accident with injury	29
400 - Hazardous condition, other	1
500 - Service Call, other	5
531 - Smoke or odor removal	1
621 - Wrong location	1
622 - No incident found on arrival at dispatch address	1

<b>Zone: NPS - National Park Service</b>	
321 - EMS call, excluding vehicle accident with injury	1
381 - Rescue or EMS standby	1

Only REVIEWED incidents included

# Eatonville Fire Department


Eatonville, WA

This report was generated on 2/7/2012 2:12:44 PM



## Breakdown by Major Incident Types for Date Range

StartDate: 01/01/2012 | EndDate: 01/31/2012



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	4	5.19%
Overpressure rupture, explosion, overheating - no fire	0	0.00%
Rescue & Emergency Medical Service	48	62.34%
Hazardous Condition (No Fire)	2	2.60%
Service Call	8	10.39%
Good Intent Call	14	18.18%
False Alarm & False Call	1	1.30%
Severe Weather & Natural Disaster	0	0.00%
Special Incident Type	0	0.00%
<b>TOTAL</b>	<b>77</b>	

Only REVIEWED incidents included

# EATONVILLE

SUPERINTENDENT: NESTOR SUNDITA

LINEMEN: DAN SHARPE AND TERRY MOORE

## JANUARY 2012

### **POWER OUTAGES:**

1. Extended power outages from 18<sup>th</sup> to 20<sup>th</sup> due to ice storm.
2. Removed broken branches and trees off the power lines.
3. Another short outage on the 24<sup>th</sup> due to high wind gust reset main breakers at the Substation.
4. Refused pad mount transformer at Kelsey Lane East.
5. Changed out shorted transformer at Ohop Ext. Road.
6. Replaced transformer lead wires at Rainier Connect bldg.
7. Repaired sewer lift station at Miller's RV parking lot.

### **UNDERGROUND POWER LOCATES:**

1. Allison Avenue and Pennsylvania Avenue.

### **STREET LIGHTS, INTERIOR LIGHTS AND BANNERS:**

1. Put up banner on Washington Avenue for School Promotions.
2. Repaired bathroom and exterior lights at Community Center.
3. Repaired street lights at Alder, Mashell, Mill Pond Park, Madison, Water plant, Lynch Creek and Cessna Road.
4. Reset timers at school crossing lights and Mill Pond Park.

### **NEW SERVICES, METERS, MAINTENANCE:**

1. Disconnected / Reconnected power to 15 customers.
2. Installed new underground service lines at 239 Allison Avenue.
3. Placed shut off notices to 120 customers.

### **MASHELL STREET LIGHT PROJECT:**

1. Secured most of the light standards by Contractors.
2. Two arms across from NAPA are still misaligned.

### **NYBOS HANGAR PROJECT:**

Schedule to pull underground cable and set pad transformer.

**Airport Underground Cable Replacement: On Hold.**

### **580 Airport Road Electrical Upgrade:**

1. Waiting for the customer to relocate interior wirings from old main panel to new main panel board.



# The Youth Connection

## DIRECTOR'S REPORT

January, 2012

- **Work on Town Report and Board Agenda**
- 
- **Youth Initiative Grant Application Submitted**
- **Youth Initiative Grant meeting and evaluation**
- **Pierce County Community Block Presentation**
- **Greater Tacoma Grant application submitted**
- **Prepared and served Community dinner**

Signature Alana Smith Date: February 1, 2012

# The Youth Connection

## Community Service

January, 2011

2 Youth mentored at School Connection

25 Total hours

6 Adults served Family Dinner

15 Total Hours

6 Adults attended board meeting

6 Total Hours

1 Adult taught knitting at Weyerhaeuser School

4.5 Total Hours

### TOTAL NUMBER OF YOUTH AND ADULTS PARTICIPATING

2 Youth volunteers

13 Adult Volunteers

**46 Total Hours of Service to the Community**

Signature Alana Smith

Date: February 6, 2012

**Priority 1**

- 1-1-12 Doing CIP on Filter backwash skid daily. Takes 2.5 hours each. Some days doing two.**  
Due Date: None  
Category: Unfiled
- 1-2-12 Operatoring both a group 2 water plant and a group 2 wastewater to all state regulations.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Filling in pot holes.**  
Due Date: None  
Category: Unfiled
- 1-2-12 Maintenance acid wash of chlortec unit. Old cell is heating up. Getting old.**  
Due Date: None  
Category: Unfiled
- 1-3-12 Repair power cord to the sander in the back of the dump truck. Salt corrodred it off.**  
Due Date: None  
Category: Unfiled
- 1-4-12 All weekly testing at the wastewater plant and the water plant.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Fill up the tires on the Kabota tractor. Ready for snow.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Start putting the fire hydrant back together at the wastewater plant. Will be the second one we have rebuilt, rather than buy new replacements.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Do annual calulation for the unaccountable water for 2011. Average a little better. From 19% down to 14% average. Now can do online report to DOH.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Get data together for DOE annual report on source water withdrawls from the Mashell and wells. Fill out and send over the next few days.**  
Due Date: None  
Category: Unfiled

- 1-4-12 Daily meter re-reads and move out and move ins.**  
Due Date: None  
Category: Unfiled
- 1-4-12 Clean and hose wastewater plant headworks. Getting ragged.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Wastewater plant daily testing.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Water plant daily testing with CIP to the backwash filter skid. Cleanout ACH line to make sure pump is working.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Monthly water report in to DOH for Dec. 2011.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Call DOE and make sure they recieved 2011 source water withdrawls from the river and wells. Called Eva. OK**  
Due Date: None  
Category: Unfiled
- 1-5-12 Replace broken stop sign at Oak and prospect. Police turned in.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Daily meter re-reads.**  
Due Date: None  
Category: Unfiled
- 1-5-12 Record all data from reservoirs and pump stations. Done daily.**  
Due Date: None  
Category: Unfiled
- 1-6-12 WTP dialy quality testing and plant checks.**  
Due Date: None  
Category: Unfiled
- 1-6-12 WWTP Daily lab testing.**  
Due Date: None  
Category: Unfiled
- 1-6-12 Install stop sign.**  
Due Date: None  
Category: Unfiled

- 1-6-12 Take baracades to day care for service.**

Due Date: None  
Category: Unfiled

- 1-7-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

- 1-7-12 Hose Headworks.**

Due Date: None  
Category: Unfiled

- 1-7-12 Replace burned up blower belts at WWTP.**

Due Date: None  
Category: Unfiled

- 1-8-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

- 1-8-12 Replace CL-17 bottles at concrete reservoir.**

Due Date: None  
Category: Unfiled

- 1-8-12 Multiple CIP's on backwash skid.**

Due Date: None  
Category: Unfiled

- 1-9-12 WTP daily quality testing and checks.**

Due Date: None  
Category: Unfiled

- 1-9-12 WWTP daily lab testing.**

Due Date: None  
Category: Unfiled

- 1-9-12 Skim foam both SBR's.**

Due Date: None  
Category: Unfiled

- 1-9-12 Hose SBR's**

Due Date: None  
Category: Unfiled

- 1-9-12 Work on heater at WTP.**

Due Date: None  
Category: Unfiled

- 1-9-12 Work on raw water sample pump at WTP.**

Due Date: None  
Category: Unfiled

- 1-9-12 Cl2 both SBR's 20# at WWTP.**

Due Date: None  
Category: Unfiled

- 1-9-12 Pick baracades from candle vigil at day care.**

Due Date: None  
Category: Unfiled

- 1-9-12 Put out water/power late payment door hangers.**

Due Date: None  
Category: Unfiled

- 1-10-12 WTP Daily quality testing and checks.**

Due Date: None  
Category: Unfiled

- 1-10-12 WWTP Daily lab testing.**

Due Date: None  
Category: Unfiled

- 1-10-12 Sweep developments.**

Due Date: None  
Category: Unfiled

- 1-10-12 WWTP CL2 both sbr's 15lbs.**

Due Date: None  
Category: Unfiled

- 1-10-12 Rebuilt three Waterous fire hydrants. 1 at WWTP. 2 In Smith Acres.**

Due Date: None  
Category: Unfiled

- 1-11-12 WTP Daily quality testing and checks.**

Due Date: None  
Category: Unfiled

- 1-11-12 WWTP Daily lab testing.**

Due Date: None  
Category: Unfiled

- 1-11-12 Work on water comp plan data collection.**

Due Date: None  
Category: Unfiled

- 1-11-12 Work on chem room heater at WTP.**

Due Date: None  
Category: Unfiled

- 1-11-12 Brush out covered water meters.**

Due Date: None  
Category: Unfiled

- 1-11-12 Work on annual water reports.**

Due Date: None  
Category: Unfiled

- 1-12-12 WTP daily quality testing and checks.**

Due Date: None  
Category: Unfiled

- 1-12-12 WWTP Daily lab testing and checks.**

Due Date: None  
Category: Unfiled

- 1-12-12 Soda ash lines plugged and shut down pumps at WTP. Had to pull and clean all lines to clear.**  
Due Date: None  
Category: Unfiled
- 1-12-12 Got portable elec. heaters to put in chem room at WTP until real heater is fixed. Cold hurting chemicals and pumps.**  
Due Date: None  
Category: Unfiled
- 1-12-12 Pull down construction signs from mashell job and uncovered alley one way signs.**  
Due Date: None  
Category: Unfiled
- 1-13-12 WTP Daily quality testing and distribution system checks.**  
Due Date: None  
Category: Unfiled
- 1-13-12 WWTP Dqaily required lab testing and checks.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Put chains on dump truck and kabota to get ready for possible snow.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Make arangements with QCC to instal and wire new laser turbidity meter at WTP.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Check heaters and make sure soda ash lines staying clear at WTP.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Pick up part of truck tire on Center St.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Brush out water meters and changes two boxes.**  
Due Date: None  
Category: Unfiled
- 1-13-12 Called in for Mill Village lift station alarm 7:00 pm.**  
Due Date: None  
Category: Unfiled
- 1-14-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-14-12 Plow/Salt hills and intersections.**  
Due Date: None  
Category: Unfiled
- 1-15-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-15-12 Snow / ice removal.**  
Due Date: None  
Category: Unfiled
- 1-16-12 WTP quality testing and checks on holiday.**  
Due Date: None  
Category: Unfiled
- 1-16-12 WWTP lab testing on holiday.**  
Due Date: None  
Category: Unfiled
- 1-16-12 Snow / ice removal hills and intesections.**  
Due Date: None  
Category: Unfiled
- 1-17-12 WTP Daily quality testing and sytem checks.**  
Due Date: None  
Category: Unfiled
- 1-17-12 WWTP Daily lab testing and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-17-12 Shovel snow town hall side walks.**  
Due Date: None  
Category: Unfiled
- 1-18-12 Crew in early for snow removal.**  
Due Date: None  
Category: Unfiled
- 1-18-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-18-12 WWTP Daily lab work and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-18-12 Change acid barrel at WTP.**  
Due Date: None  
Category: Unfiled
- 1-18-12 Instal new heater fan in chem room at WTP.**  
Due Date: None  
Category: Unfiled

- 1-18-12 Work on snow removal all day.**  
Due Date: None  
Category: Unfiled
- 1-18-12 Crew in at 6:00 pm for power outage to keep water/wastewater plants and lift stations running.**  
Due Date: None  
Category: Unfiled
- 1-19-12 Crew still working on power outage.**  
Due Date: None  
Category: Unfiled
- 1-19-12 Crew all morning and late at night to keep plants running durring outage.**  
Due Date: None  
Category: Unfiled
- 1-19-12 Help Nestor set up in night for traffic control on 161 durring power out.**  
Due Date: None  
Category: Unfiled
- 1-20-12 Crew back in 2 am for power out again to keep plants and lift stations running.**  
Due Date: None  
Category: Unfiled
- 1-20-12 Clean salt out of dump truck.**  
Due Date: None  
Category: Unfiled
- 1-20-12 Plow road for generator to be fueled up at WTP and WWTP.**  
Due Date: None  
Category: Unfiled
- 1-20-12 Take parks truck to town hall to be used for broken tree removal.**  
Due Date: None  
Category: Unfiled
- 1-20-12 Repair tire changes that wore out while plowing.**  
Due Date: None  
Category: Unfiled
- 1-21-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-21-12 Work on APP lift station. Alarming. both pumps plugged.**  
Due Date: None  
Category: Unfiled

- 1-22-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-23-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-23-12 WWTP Daily lab testing and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-23-12 Fix broken CL2 pipe at WTP.**  
Due Date: None  
Category: Unfiled
- 1-23-12 Go into programming and change alarm setpoint for filter 1 CIP flow alarm.**  
Due Date: None  
Category: Unfiled
- 1-23-12 Start clearing downed limbs and trees.**  
Due Date: None  
Category: Unfiled
- 1-24-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-24-12 WWTP Daily lab testing and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-24-12 Sweep streets.**  
Due Date: None  
Category: Unfiled
- 1-24-12 Work w/QCC at WTP to instal new laser turbidity meters.**  
Due Date: None  
Category: Unfiled
- 1-24-12 Instal new battery backup for PLC at WTP.**  
Due Date: None  
Category: Unfiled
- 1-25-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-25-12 WWTP Daily lab testing and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-25-12 WWTP CL2 SBR2 20lbs.**  
Due Date: None  
Category: Unfiled

- 1-25-12 Read meters.**  
Due Date: None  
Category: Unfiled
- 1-25-12 Work on storm damage lists.**  
Due Date: None  
Category: Unfiled
- 1-25-12 Work on laser turbidity meters at WTP.**  
Due Date: None  
Category: Unfiled
- 1-25-12 Pick up more brush damage from storm.**  
Due Date: None  
Category: Unfiled
- 1-25-12 Get presentation from Owen Equipt. about grease cleaner for lift station.**  
Due Date: None  
Category: Unfiled
- 1-26-12 WTP Daily quality testing and rounds.**  
Due Date: None  
Category: Unfiled
- 1-26-12 WWTP Daily lab testing and maintenance.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Work on water comp plan.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Work on wastewater annual reports.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Show Doug Mill Village lift station.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Meter re-reads.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Work on Filter 1 setpoints and laser turbidity meter.**  
Due Date: None  
Category: Unfiled
- 1-26-12 Still cleaning brush from storm around town.**  
Due Date: None  
Category: Unfiled
- 1-27-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-27-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 1-27-12 Work on street lights at WWTP.**  
Due Date: None  
Category: Unfiled
- 1-27-12 Clean WWTP lab.**  
Due Date: None  
Category: Unfiled
- 1-28-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-29-12 Weekend plant testing.**  
Due Date: None  
Category: Unfiled
- 1-30-12 WTP Daily quality testing and sytem checks.**  
Due Date: None  
Category: Unfiled
- 1-30-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 1-30-12 Lots of meter re-reads.**  
Due Date: None  
Category: Unfiled
- 1-30-12 CL2 SBR2 20lbs.**  
Due Date: None  
Category: Unfiled
- 1-31-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 1-31-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 1-31-12 Finish and mail WWTP annual reports.**  
Due Date: None  
Category: Unfiled
- 1-31-12 Make new WWTP lab bench sheets.**  
Due Date: None  
Category: Unfiled

- 1-31-12 Take water/sewer truck to Baydos to get recal part fixed.**

Due Date: None  
Category: Unfiled

- 1-31-12 CL2 SBR2 20lbs.**

Due Date: None  
Category: Unfiled