

**Eatonville Police Department**  
**Incident NCIC=WA0270500**  
**And Incident Date Reported BETWEEN 02/01/2012**  
**And 02/29/2012**

**Incident Log Report**

**Printed On: Wed, Mar 07, 2012**

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2012000077	WA0270500	02/01/2012 12:50	E7	Void-See case 2012000086
2012000078	WA0270500	02/01/2012 14:00	E4	DWLS 3
2012000079	WA0270500	02/01/2012 19:32	3	Verbal DV
2012000080	WA0270500	02/02/2012 01:11	3	DUI
2012000081	WA0270500	02/02/2012 16:45	E12	Malicious Mischief 2
2012000082	WA0270500	02/04/2012 08:05	E1	Information, Suspicious Phone Call
2012000083	WA0270500	02/04/2012 11:13	E1	Animal Running At Large
2012000084	WA0270500	02/04/2012 13:39	E1	Agency Assist, Welfare Check, PCSO
2012000085	WA0270500	02/05/2012 13:41	ea7	Malicious Mischief 3
2012000086	WA0270500	02/05/2012 14:26	E4	Malicious Mischief 2
2012000087	WA0270500	02/05/2012 17:17	E5	Agency Assist, EFD
2012000088	WA0270500	02/06/2012 09:04	E4	Animal At Large, Animal Lic Required
2012000089	WA0270500	02/06/2012 11:28	E4	Truancy
2012000090	WA0270500	02/07/2012 08:38	E7	Neighbor Dispute
2012000091	WA0270500	02/07/2012 09:10	E4	Customer Problem
2012000092	WA0270500	02/07/2012 10:25	E7	Security Check, Open Door
2012000093	WA0270500	02/07/2012 10:48	ea7	Confidential
2012000094	WA0270500	02/07/2012 21:34	5	Malicious Mischief 3
2012000095	WA0270500	02/07/2012 22:52	5	Agency Assist, PCSD, Suspicious Vehicle
2012000096	WA0270500	02/08/2012 06:34	E7	False Alarm
2012000097	WA0270500	02/08/2012 13:19	E4	Residential Burglary
2012000098	WA0270500	02/08/2012 23:33	E12	DWLS 3
2012000099	WA0270500	02/09/2012 17:04	ea7	Neighbor Dispute
2012000100	WA0270500	02/10/2012 08:19	E1	Malicious Mischief 3
2012000101	WA0270500	02/11/2012 20:30	5	Information, Reckless Vehicle
2012000102	WA0270500	02/12/2012 20:40	E12	DWLS 3
2012000103	WA0270500	02/13/2012 01:51	E4	Agency Assist, Medical Aid, EFD
2012000104	WA0270500	02/13/2012 13:24	ea7	UPCS Marijuana
2012000105	WA0270500	02/13/2012 14:07	E7	FACR
2012000106	WA0270500	02/14/2012 19:27	ea7	Phase 2 Wireless Call

## Eatonville Police Department

### Incident Log Report

Printed On: Wed, Mar 07, 2012

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2012000107	WA0270500	02/14/2012 19:25	E12	DWLS 3
2012000108	WA0270500	02/15/2012 05:53	5	Criminal Trespass Notification
2012000109	WA0270500	02/16/2012 13:20	E1	Assault 4
2012000110	WA0270500	02/17/2012 19:52	3	Stolen/Lost Cell Phone
2012000111	WA0270500	02/17/2012 23:28	3	MIP, 59/50
2012000112	WA0270500	02/18/2012 02:53	E12	DWLS 3
2012000113	WA0270500	02/18/2012 16:08	E11	Agency Assist, Medical Aid, EFD
2012000114	WA0270500	02/18/2012 18:56	E12	DWLS, Warrant Arrest Other
2012000115	WA0270500	02/19/2012 00:56	E12	DWLS 3
2012000116	WA0270500	02/19/2012 01:46	3	DWLS 3
2012000117	WA0270500	02/21/2012 17:16	E7	Agency Assist, Suspect Detained, PCSO
2012000118	WA0270500	02/21/2012 20:29	E12	DWLS 3
2012000119	WA0270500	02/22/2012 16:22	5	Found Firearm
2012000120	WA0270500	02/22/2012 20:39	E12	DWLS 3
2012000121	WA0270500	02/23/2012 11:20	E1	Vehicle Prowl, Theft
2012000122	WA0270500	02/23/2012 19:08	E12	Disorderly Conduct
2012000123	WA0270500	02/23/2012 20:21	3	Information, Suspicious Person
2012000124	WA0270500	02/24/2012 15:32	E1	Domestic Dispute, Verbal, Custody Issue
2012000125	WA0270500	02/24/2012 20:18	3	Information, Followup
2012000126	WA0270500	02/25/2012 00:08	E12	DWLS 3
2012000127	WA0270500	02/25/2012 11:10	E1	Information, Civil Dispute
2012000128	WA0270500	02/25/2012 21:56	3	Juvenile Problem
2012000129	WA0270500	02/25/2012 22:33	E12	Agency Assist, Area Check, Fish & Wildlife
2012000130	WA0270500	02/26/2012 00:46	3	Verbal Dispute
2012000131	WA0270500	02/27/2012 17:59	E4	Poss Drug Paraph, UPCS MJ <, Obstructing
2012000132	WA0270500	02/29/2012 18:46	E4	Agency Assist, Civil Issue, PCSO

Total Records: 56

**Eatonville Police Department**  
**Citation NCIC=WA0270500**  
**And Citation Date Cited BETWEEN 02/01/2012**  
**And 02/29/2012**

**Citation Log Report**

**Printed On: Wed, Mar 07, 2012**

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C2Z0127321	WA0270500	2/2/2012 01:11	3	DUI
C2Z0127324	WA0270500	2/19/2012 01:46	3	DWLS 3
C2Z0172153	WA0270500	2/8/2012 23:33	E12	DWLS 3
C2Z0172154	WA0270500	2/12/2012 20:40	E12	DWLS 3
C2Z0220171	WA0270500	2/14/2012 19:25	E12	DWLS 3
C2Z0220172	WA0270500	2/18/2012 02:53	E12	DWLS 3
C2Z0220173	WA0270500	2/18/2012 18:56	E12	DWLS 3
C2Z0220175	WA0270500	2/19/2012 00:56	E12	DWLS 3
C2Z0220177	WA0270500	2/21/2012 20:29	E12	DWLS 3
C2Z0220179	WA0270500	2/22/2012 20:39	E12	DWLS 3
C2Z0220180	WA0270500	2/25/2012 00:08	E12	DWLS 3
C2Z0242780	WA0270500	2/17/2012 23:28	3	MIP
C6601	WA0270500	2/1/2012 12:10	E4	Assault 4, DV
C6602	WA0270500	2/1/2012 12:10	E4	Assault 4, DV
C6603	WA0270500	2/1/2012 14:00	E4	DWLS 3
I17489	WA0270500	2/4/2012 11:13	E1	Animal Running At Large
I17513	WA0270500	2/29/2012 09:30	ea7	Parking to Obstruct Pedestrians
I17531	WA0270500	2/1/2012 14:00	E4	No Front Plate, No Insurance
I17532	WA0270500	2/1/2012 14:50	E4	No Insurance, Exp Tabs >
I17533	WA0270500	2/5/2012 09:34	E4	No Front Plate, No Insurance, Exp Tabs >
I17534	WA0270500	2/5/2012 10:24	E4	No Front Plate, No Insurance
I17535	WA0270500	2/5/2012 10:30	E4	No Valid License on Person
I17536	WA0270500	2/6/2012 09:04	E4	Animal At Large, Animal Lic Required
I17540	WA0270500	2/14/2012 11:21	E4	62/50
I2Z0050815	WA0270500	2/9/2012 19:07	ea7	Def Tail Lights, No Insurance
I2Z0127320	WA0270500	2/2/2012 01:11	3	60/50
I2Z0127322	WA0270500	2/17/2012 23:28	3	59/50
I2Z0127323	WA0270500	2/19/2012 01:46	3	59/50
I2Z0172152	WA0270500	2/8/2012 23:33	E12	Stop/Turn Signals Required
I2Z0172155	WA0270500	2/12/2012 20:40	E12	Defective Taillight, (DWLS 3)
I2Z0220174	WA0270500	2/18/2012 18:56	E12	Obscured Lic Plate, (DWLS 3, Warrant)
I2Z0220176	WA0270500	2/19/2012 00:56	E12	Defective Lic Lamp (DWLS 3)
I2Z0220178	WA0270500	2/21/2012 20:29	E12	Def Lic Lamp (DWLS 3)
I2Z0243439	WA0270500	2/25/2012 00:08	E12	Def Lic Lamp (DWLS 3)

*FIRE & EMS*

PO Box 291, 201 Center ST West Eatonville, WA 98328  
PHONE: 360-832-6931 Fax: 360-832-2931  
eatonvillefire@eatonville-wa.gov

***Monthly Report  
February 2012***

10 Fire  
4 Auto Accident  
32 Aid  
3 Service  
49 Total

Mutual aid responses with District 17 -- 12  
Mutual aid responses with District 23 -- 9  
Mutual aid response with District 21 -- 1  
Mutual aid responses with NPS -- 0

2011 YEAR TO DATE TOTAL -- 110  
2012 YEAR TO DATE TOTAL -- 129

Transports -- 19  
ALS -- 17  
BLS -- 2

2011 transports year to date -- 40  
2012 transports year to date -- 45

# Eatonville Fire Department


Eatonville, WA

This report was generated on 3/6/2012 7:51:18 AM



## Breakdown by Major Incident Types for Date Range

StartDate: 02/01/2012 | EndDate: 02/29/2012



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	2	4.08%
Overpressure rupture, explosion, overheating - no fire	0	0.00%
Rescue & Emergency Medical Service	36	73.47%
Hazardous Condition (No Fire)	0	0.00%
Service Call	5	10.20%
Good Intent Call	4	8.16%
False Alarm & False Call	1	2.04%
Severe Weather & Natural Disaster	0	0.00%
Special Incident Type	1	2.04%
<b>TOTAL</b>	<b>49</b>	

Only REVIEWED incidents included

# Eatonville Fire Department

Eatonville, WA

This report was generated on 3/6/2012 7:53:09 AM



## Incident Type per Zone for Date Range

StartDate: 02/01/2012 | EndDate: 02/29/2012

INCIDENT TYPE	# INCIDENTS
<b>Zone: 17 - South Pierce</b>	
321 - EMS call, excluding vehicle accident with injury	6
322 - Motor vehicle accident with injuries	2
324 - Motor vehicle accident with no injuries.	1
561 - Unauthorized burning	2
611 - Dispatched & cancelled en route	1

<b>Zone: 21 - Graham Fire</b>	
322 - Motor vehicle accident with injuries	1

<b>Zone: 23 - Ashford/Elbe</b>	
321 - EMS call, excluding vehicle accident with injury	7
611 - Dispatched & cancelled en route	2

<b>Zone: 84 - Eatonville</b>	
111 - Building fire	1
114 - Chimney or flue fire, confined to chimney or flue	1
320 - Emergency medical service, other	1
321 - EMS call, excluding vehicle accident with injury	18
500 - Service Call, other	1
511 - Lock-out	2
622 - No incident found on arrival at dispatch address	1
743 - Smoke detector activation, no fire - unintentional	1
911 - Citizen complaint	1

Only REVIEWED incidents included

## Priority 1

- 2-1-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

- 2-1-12 WWTP Daily Lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

- 2-1-12 Work on street lights at WWTP.**

Due Date: None  
Category: Unfiled

- 2-1-12 Work on annual CCS report at WTP.**

Due Date: None  
Category: Unfiled

- 2-1-12 More meter re-reads.**

Due Date: None  
Category: Unfiled

- 2-2-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

- 2-2-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

- 2-2-12 Hose and de-rag hadworks.**

Due Date: None  
Category: Unfiled

- 2-2-12 Fill pot holes.**

Due Date: None  
Category: Unfiled

- 2-2-12 Investigate missing backflow device at old Vaneaton clinic.**

Due Date: None  
Category: Unfiled

- 2-2-12 Go around to certain spots with geneator guy and get prices.**

Due Date: None  
Category: Unfiled

- 2-3-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

- 2-3-12 WWTP Daily Lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

- 2-3-12 Clean WTP.**

Due Date: None  
Category: Unfiled

- 2-3-12 CL2 SBR2 20lbs.**

Due Date: None  
Category: Unfiled

- 2-3-12 Clean WWTP blower and control rooms.**

Due Date: None  
Category: Unfiled

- 2-3-12 Change burned out control panel lights.**

Due Date: None  
Category: Unfiled

- 2-3-12 Sweep streets.**

Due Date: None  
Category: Unfiled

- 2-3-12 Fix broken pipe on backwash skid at WTP.**

Due Date: None  
Category: Unfiled

- 2-4-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

- 2-4-12 Give water/sewer facilities tour to council member.**

Due Date: None  
Category: Unfiled

- 2-5-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

- 2-6-12 Place out over 125 door knockers.**

Due Date: None  
Category: Unfiled

- 2-6-12 Repair water leak 112 Orchard Ave.**

Due Date: None  
Category: Unfiled

- 2-6-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

- 2-6-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-7-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-7-12 WWTP daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-7-12 Investigate possible water leak.**

Due Date: None  
Category: Unfiled

**2-7-12 Fix pipe at WTP.**

Due Date: None  
Category: Unfiled

**2-8-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-8-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-9-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-9-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-9-12 Pick up limbs at cemetery.**

Due Date: None  
Category: Unfiled

**2-10-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-10-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-10-12 Hose headworks.**

Due Date: None  
Category: Unfiled

**2-10-12 Change barrel at WTP.**

Due Date: None  
Category: Unfiled

**2-10-12 Finish WWTP monthly report.**

Due Date: None  
Category: Unfiled

**2-11-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

**2-12-12 Weekend plant testing.**

Due Date: None  
Category: Unfiled

**2-13-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-13-12 WWTP Daily lab testing and plant maintenance.**

Due Date: None  
Category: Unfiled

**2-13-12 Locate missing and covered water valves around town.**

Due Date: None  
Category: Unfiled

**2-13-12 Brush out water meters.**

Due Date: None  
Category: Unfiled

**2-13-12 Fix leaking CL2 line at WTP.**

Due Date: None  
Category: Unfiled

**2-14-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

**2-14-12 WWTP Daily lab testing and maintenance.**

Due Date: None  
Category: Unfiled

**2-14-12 Make new lab bench sheets.**

Due Date: None  
Category: Unfiled

**2-14-12 Dig up main on Ridge to look for water leak.**

Due Date: None  
Category: Unfiled

**2-15-12 WTP Daily quality testing and system checks.**

Due Date: None  
Category: Unfiled

- 2-15-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-15-12 Start meter reads for this month.**  
Due Date: None  
Category: Unfiled
- 2-15-12 Dig three graves at cemetery.**  
Due Date: None  
Category: Unfiled
- 2-15-12 Fix bent street sign on Mashell.**  
Due Date: None  
Category: Unfiled
- 2-15-12 Finish and mail WWTP annual Bio-solids report.**  
Due Date: None  
Category: Unfiled
- 2-15-12 Get more information for water comp plan.**  
Due Date: None  
Category: Unfiled
- 2-16-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 2-16-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-16-12 Continue meter reads.**  
Due Date: None  
Category: Unfiled
- 2-16-12 Perform three burials at cemetery.**  
Due Date: None  
Category: Unfiled
- 2-17-12 Sweep streets.**  
Due Date: None  
Category: Unfiled
- 2-17-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 2-17-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-17-12 Clean Mill Village lift station.**  
Due Date: None  
Category: Unfiled
- 2-17-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 2-18-12 Weekend plant checks.**  
Due Date: None  
Category: Unfiled
- 2-18-12 Fix toilet at town square.**  
Due Date: None  
Category: Unfiled
- 2-19-12 Weekend plant checks.**  
Due Date: None  
Category: Unfiled
- 2-20-12 Wastewater testing on holiday.**  
Due Date: None  
Category: Unfiled
- 2-20-12 Water testing on holiday.**  
Due Date: None  
Category: Unfiled
- 2-21-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 2-21-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-21-12 Hose headworks.**  
Due Date: None  
Category: Unfiled
- 2-22-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 2-22-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-22-12 Leak detector here to find suspected water leaks.**  
Due Date: None  
Category: Unfiled

- 2-23-12 WTP Daily quality testing and system checks.**  
Due Date: None  
Category: Unfiled
- 2-23-12 WWTP Daily lab testing and plant maintenance.**  
Due Date: None  
Category: Unfiled
- 2-23-12 Finish and submit annual cross connection report to DOH.**  
Due Date: None  
Category: Unfiled
- 2-23-12 Dig grave at cemetery.**  
Due Date: None  
Category: Unfiled
- 2-27-12 Dig and cover grave for Wednesday funeral.**  
Due Date: None  
Category: Unfiled
- 2-28-12 Water main locate at the middle school.**  
Due Date: None  
Category: Unfiled
- 2-28-12 Cut and pile brush from tree topper until after funeral. No crew left to place in dumpster. Power line out at school.**  
Due Date: None  
Category: Unfiled
- 2-28-12 Two CIP's on backwash skid.**  
Due Date: None  
Category: Unfiled
- 2-28-12 Large delivery of chemicals to the water plant. Including chlorine to wastewater plant.**  
Due Date: None  
Category: Unfiled
- 2-29-12 Setup and perform full funeral and cover.**  
Due Date: None  
Category: Unfiled
- 2-29-12 Usual water and electric meter re-reads and move in and move outs.**  
Due Date: None  
Category: Unfiled

# EATONVILLE

SUPERINTENDENT: NESTOR SUNDITA

LINEMEN: DAN SHARPE AND TERRY MOORE

## FEBRUARY 2012

### POWER OUTAGES:

1. Repaired downed powerlines behind Kirks Pharmacy.
2. Repaired underground service lines at Eatonville Elementary School.
3. Checked power to oxygen station at the Fire Department.

### UNDERGROUND POWER LOCATES:

1. Eatonville elementary school.

### STREET LIGHTS, INTERIOR LIGHTS AND BANNERS:

1. Replaced street light ballast in back of Double T Meat Market.
2. Removed banner across Washington Avenue.
3. Repaired street lights at Center street, Orchard and Water Plant.
4. Changed out fluorescent light ballast at Town Hall.

### NEW SERVICES, METERS, MAINTENANCE:

1. Disconnected / Reconnected power to 15 customers.
2. Placed shut off notices to 170 customers.
3. Check Substation and placed warning sign on fence.
4. Cleanup Cemetery and picked up tree limbs by the nursery.
5. Hooked up power to new house at 237 Allison Avenue.
6. Installed remote switches for Mill Pond surveillance cameras.

### NYBOS HANGAR PROJECT:

Completed underground service and installed four meters.

**Airport Underground Cable Replacement: On Hold.**

### 580 Airport Road Electrical Upgrade:

1. Waiting for the customer to relocate interior wirings from old main panel to new main panel board.

# Building Department Activity 2012

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	1	3	0	0	0	0	0	0	0	0	0	0	4
Foundation	0	2	0	0	0	0	0	0	0	0	0	0	2
Footing drains	2	2	0	0	0	0	0	0	0	0	0	0	4
Floor Framing	0	0	0	0	0	0	0	0	0	0	0	0	0
Shearwall	3	0	0	0	0	0	0	0	0	0	0	0	3
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm Retention	2	0	0	0	0	0	0	0	0	0	0	0	2
Framing	2	5	0	0	0	0	0	0	0	0	0	0	7
Plumbing	1	2	0	0	0	0	0	0	0	0	0	0	3
Mechanical	1	2	0	0	0	0	0	0	0	0	0	0	3
Insulation	3	2	0	0	0	0	0	0	0	0	0	0	5
Sheetrock	2	1	0	0	0	0	0	0	0	0	0	0	3
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	0	2	0	0	0	0	0	0	0	0	0	0	2
OTHERS	0	5	0	0	0	0	0	0	0	0	0	0	5
<b>TOTAL</b>	<b>17</b>	<b>26</b>	<b>0</b>	<b>43</b>									

## Parks Taken In

PARKS Each Week

Do repairs at Community Center

Empty Garbage In Parks

Set up for Planning and Counsel meetings

Storm clean up in Parks and Cemetary

Load debris in lemay containers

Hand out door Hangars

# Building Department Activity 2012

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	1	3	0	0	0	0	0	0	0	0	0	0	4
Foundation	0	2	0	0	0	0	0	0	0	0	0	0	2
Footing drains	2	2	0	0	0	0	0	0	0	0	0	0	4
Floor Framing	0	0	0	0	0	0	0	0	0	0	0	0	0
Shearwall	3	0	0	0	0	0	0	0	0	0	0	0	3
Sewer	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Storm Retention	2	0	0	0	0	0	0	0	0	0	0	0	2
Framing	2	5	0	0	0	0	0	0	0	0	0	0	7
Plumbing	1	2	0	0	0	0	0	0	0	0	0	0	3
Mechanical	1	2	0	0	0	0	0	0	0	0	0	0	3
Insulation	3	2	0	0	0	0	0	0	0	0	0	0	5
Sheetrock	2	1	0	0	0	0	0	0	0	0	0	0	3
Patio	0	0	0	0	0	0	0	0	0	0	0	0	0
Final	0	2	0	0	0	0	0	0	0	0	0	0	2
OTHERS	0	5	0	0	0	0	0	0	0	0	0	0	5
<b>TOTAL</b>	<b>17</b>	<b>26</b>	<b>0</b>	<b>43</b>									

**PERMITS TAKEN IN**

**PARKS**      Each Week

Do repairs at Community Center

Empty Garbage In Parks

Set up for Planning and Counsel meetings

Storm clean up in Parks and Cemetary

Load debris in lemmy containers

Hand out door Hangars

# The Youth Connection

## Community Service

February, 2011

3 Youth mentored at School Connection

41 Total hours

8 Adults served Family Dinner

20 Total Hours

8 Adults attended board meeting

16 Total Hours

1 Adult taught knitting at Weyerhaeuser School

8 Total Hours

### TOTAL NUMBER OF YOUTH AND ADULTS PARTICIPATING

3 Youth volunteers

16 Adult Volunteers

85 Total Hours of Service to the Community

616 duplicated

161 unduplicated

7 new Youth

Signature

Alana Smith

Date: March 6, 2012

# The Youth Connection

**DIRECTOR'S REPORT**  
**February, 2012**

- **Work on Town Report and Board Agenda**
- **Attended Youth Violence Grant Workshop**
- **Youth Violence Grant Application Submitted**
- **Forest Foundation Application Submitted**
- **Sequoia Foundation Application Submitted**
- **Prepared and served Community dinner**

**Signature** *Alana Smith* **Date:** **March 7, 2012**