

FIRE & RESCUE

PO Box 291, 201 Center ST West Eatonville, WA 98328
PHONE: 360-832-6931 Fax: 360-832-2931

Monthly Report
August 2015

37 Fire
9 Auto Accident
53 Aid
3 Service

102 Total

Mutual aid responses with District 17 -- 47
Mutual aid responses with District 23 -- 13
Mutual aid responses with District 21 -- 0
Mutual aid responses with Lewis County - 1
Mutual aid responses with NPS -- 2

2014 YEAR TO DATE TOTAL -- 540
2015 YEAR TO DATE TOTAL -- 586

Transports -- 38
ALS -- 24
BLS -- 14

2014 transports year to date -- 246
2015 transports year to date -- 246

For the month of August the total amount billed for ambulance transports was \$49,266.40 .

Total amount billed for transports to date \$332,406.40.

Eatonville Fire Department


Eatonville, WA

This report was generated on 9/2/2015 8:10:43 AM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 08/01/2015 | End Date: 08/31/2015



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	4	3.92%
Rescue & Emergency Medical Service	62	60.78%
Service Call	3	2.94%
Good Intent Call	28	27.45%
False Alarm & False Call	1	0.98%
Severe Weather & Natural Disaster	4	3.92%
TOTAL	102	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
113 - Cooking fire, confined to container	1	0.98%
118 - Trash or rubbish fire, contained	1	0.98%
140 - Natural vegetation fire, other	1	0.98%
142 - Brush or brush-and-grass mixture fire	1	0.98%
321 - EMS call, excluding vehicle accident with injury	53	51.96%
322 - Motor vehicle accident with injuries	6	5.88%
324 - Motor vehicle accident with no injuries.	3	2.94%
500 - Service Call, other	1	0.98%
550 - Public service assistance, other	1	0.98%
561 - Unauthorized burning	1	0.98%
600 - Good intent call, other	2	1.96%
611 - Dispatched & cancelled en route	23	22.55%
652 - Steam, vapor, fog or dust thought to be smoke	1	0.98%
653 - Smoke from barbecue, tar kettle	1	0.98%
671 - HazMat release investigation w/no HazMat	1	0.98%
700 - False alarm or false call, other	1	0.98%
813 - Wind storm, tornado/hurricane assessment	4	3.92%
TOTAL INCIDENTS:	102	100.00%

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Eatonville Fire Department


Eatonville, WA

This report was generated on 9/2/2015 8:09:26 AM



Incident Type Count per Zone for Date Range

Start Date: 08/01/2015 | End Date: 08/31/2015



ZONES	INCIDENT TYPE	COUNT
17 - South Pierce		
	113 - Cooking fire, confined to container	1
	118 - Trash or rubbish fire, contained	1
	140 - Natural vegetation fire, other	1
	142 - Brush or brush-and-grass mixture fire	1
	321 - EMS call, excluding vehicle accident with injury	12
	322 - Motor vehicle accident with injuries	4
	324 - Motor vehicle accident with no injuries.	3
	500 - Service Call, other	1
	600 - Good intent call, other	1
	611 - Dispatched & cancelled en route	18
	653 - Smoke from barbecue, tar kettle	1
	700 - False alarm or false call, other	1
	813 - Wind storm, tornado/hurricane assessment	2
	<i>Total Incidents for 17 - South Pierce:</i>	47
23 - Ashford/Elbe		
	321 - EMS call, excluding vehicle accident with injury	8
	322 - Motor vehicle accident with injuries	2
	611 - Dispatched & cancelled en route	3
	<i>Total Incidents for 23 - Ashford/Elbe:</i>	13
84 - Eatonville		

Zone information is defined on the Basic Info 3 screen of an incident.
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	321 - EMS call, excluding vehicle accident with injury	31
	550 - Public service assistance, other	1
	561 - Unauthorized burning	1
	600 - Good intent call, other	1
	611 - Dispatched & cancelled en route	1
	652 - Steam, vapor, fog or dust thought to be smoke	1
	671 - HazMat release investigation w/no HazMat	1
	813 - Wind storm, tornado/hurricane assessment	2
	<i>Total Incidents for 84 - Eatonville:</i>	39
LC - Lewis County		
	611 - Dispatched & cancelled en route	1
	<i>Total Incidents for LC - Lewis County:</i>	1
NPS - National Park Service		
	321 - EMS call, excluding vehicle accident with injury	2
	<i>Total Incidents for NPS - National Park Service:</i>	2
	<i>Total Count for all Zone:</i>	102

Zone information is defined on the Basic Info 3 screen of an incident.
Only REVIEWED incidents included.

Priority 1

- 8-1-15 Water and wastewater weekend plant testing.**
Due Date: None
Category: Water/Sewer
- 8-1-15 Multiple checks on APP lift station.**
Due Date: None
Category: Wastewater
- 8-1-15 Repair broken pipe on neutralization basin pump.**
Due Date: None
Category: Water
- 8-1-15 Help BAT tester at WWTP.**
Due Date: None
Category: Wastewater
- 8-2-15 Weekend plant testing.**
Due Date: None
Category: Water/Sewer
- 8-2-15 Extra checks at APP lift station.**
Due Date: None
Category: Wastewater
- 8-3-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-3-15 Work with Evoqua tech at WTP to address filter issues.**
Due Date: None
Category: Water
- 8-3-15 Send in monthly water samples and also lead and copper samples to Water Management Labs.**
Due Date: None
Category: Water
- 8-3-15 Take apart and clean raw water strainer screen at WTP. Plugged.**
Due Date: None
Category: Water
- 8-3-15 Clean river intake 2x every day.**
Due Date: None
Category: Water
- 8-3-15 Finish and send in WTP monthly report.**
Due Date: None
Category: Water
- 8-3-15 Monitor APP sewer lift station.**
Due Date: None
Category: Wastewater
- 8/4/15 Replace floating DO sensors in no. 2 SBR. Working**
Due Date: None
Category: Wastewater
- 8/4/15 Clean river intakes two times.**
Due Date: None
Category: Water
- 8/4/15 Two CIP on backwash filter skid.**
Due Date: None
Category: Water
- 8/4/15 Hose SBR tanks.**
Due Date: None
Category: Wastewater
- 8/4/15 Manual CIP on filter skid no. 2 .**
Due Date: None
Category: Water
- 8-5-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-5-15 Change CL-17 bottle sat reservoir.**
Due Date: None
Category: Water
- 8-5-15 WTP alarm failed to dose acid filter 1. fixed.**
Due Date: None
Category: Water
- 8-5-15 Clean up cardboard around recycle area.**
Due Date: None
Category: Parks
- 8-5-15 Mow grass.**
Due Date: None
Category: Parks
- 8-5-15 Update cross connection info.**
Due Date: None
Category: Water
- 8-5-15 Finish and mail WWTP monthly report.**
Due Date: None
Category: Wastewater
- 8-5-15 Help power crew dig holes for cross walk signs.**
Due Date: None
Category: Streets
- 8-6-15 Water and Wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-6-15 Help light crew instal crosswalk signs.**
Due Date: None
Category: Streets
- 8-6-15 Maintenance acid clean on Chlortec unit at WTP.**
Due Date: None
Category: Water

To Do List for Water and Sewer

All Items

- 8-6-15 Restart and fix composite samplers at WWTP.**
Due Date: None
Category: Wastewater
- 8-6-15 Extra cleans on river intake due to fir needles.**
Due Date: None
Category: Water
- 8-6-15 Update cross connection program.**
Due Date: None
Category: Water
- 8-6-15 Repair fire hydrant in Carriage Ct.**
Due Date: None
Category: Water
- 8/8/15 All weekend tests and data recording on both plants.**
Due Date: None
Category: Water/Sewer
- 8/8/15 Check Malcoms liftstation two times . OK**
Due Date: None
Category: Wastewater
- 8/8/15 Two CIP on filter backwash skid.**
Due Date: None
Category: Water
- 8/8/15 Clean raw water intakes two times. Leaves**
Due Date: None
Category: Water
- 8-9-15 WWTP alarm 3:13 AM Decant weir failed to close.**
Due Date: None
Category: Wastewater
- 8-10-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-10-15 Put out late payment door hangers.**
Due Date: None
Category: Water/Sewer
- 8-10-15 Chhange acid barrels at WTP.**
Due Date: None
Category: Water
- 8-10-15 Check on possible water leak on Hilligoss.**
Due Date: None
Category: Water
- 8-10-15 Clean river intakes.**
Due Date: None
Category: Water
- 8-10-15 Pick up garbages at parks.**
Due Date: None
Category: Parks
- 8-10-15 WTP alarm 5:00pm Backwash skid VFD fail.**
Due Date: None
Category: Water
- 8-11-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-11-15 Monitor APP lift station.**
Due Date: None
Category: Wastewater
- 8-11-15 Spray weeds marked by Pierce County guy.**
Due Date: None
Category: Streets
- 8-11-15 Help power crew cut brush.**
Due Date: None
Category: Power and Light
- 8-11-15 Fill pot holes.**
Due Date: None
Category: Streets
- 8-11-15 Mow grass.**
Due Date: None
Category: Parks
- 8-12-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-12-15 Clean WTP.**
Due Date: None
Category: Water
- 8-12-15 Clean river intake 2X daily.**
Due Date: None
Category: Water
- 8-12-15 Crew work all day and night on WTP repairs.**
Due Date: None
Category: Water
- 8-13-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-13-15 Crew continue work all day and night on WTP repairs.**
Due Date: None
Category: Water
- 8-14-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-14-15 Start meter read.**
Due Date: None
Category: Water/Sewer

To Do List for Water and Sewer

All Items

- 8-14-15 Sweep streets.**
Due Date: None
Category: Streets
- 8-14-15 Continue monitoring WTP repairs.**
Due Date: None
Category: Water
- 8-14-15 Clean up tools and parts at WTP from repairs.**
Due Date: None
Category: Water
- 8/17/15 Repair 3 water meter gasket leaks.**
Due Date: None
Category: Water
- 8/17/15 Repair air dryer fan from sweeping. Oiled.**
Due Date: None
Category: Water
- 8/17/15 Pull No. 4 equalization tank pump at the WWTP. Flygt pump and is shutting off and will not run. 4th pump is the backup in the winter time. That is why there is 4 of them.**
Due Date: None
Category: Wastewater
- 8/17/15 Clean river intakes 2 times and checked AAP liftstation 2 times.**
Due Date: None
Category: Wastewater
- 8/18/15 Get prices on both repair kits and new acid pumps. \$180 kits \$600 new pumps. Beckwith and Kouthel.**
Due Date: None
Category: Water
- 8/18/15 Trying to fiberglass small leak in raw water PVC intake line.**
Due Date: None
Category: Water
- 8/19/15 Still cleaning river intakes and checking APP liftstation two times daily. Lift station getting to hot and shutting off. We have recieved the fan for QCC to install.**
Due Date: None
Category: Wastewater
- 8/19/15 Trying to get EQ basin pump pulled at the WWTP. Crew working on first aid computer testing and going to Gramh to take practical test.**
Due Date: None
Category: Wastewater
- 8/18/15 Spray unwanted weeds that have been marked by Pierce County and letter sent to the town to kill.**
Due Date: None
Category: Streets
- 8/18/15 Get prices from HD Fowler for material to change part of raw water intering WTP to change from PVC to Ductile Iron.**
Due Date: None
Category: Water
- 8/20/15 Usual daily testing and data recording. Two river clean.**
Due Date: None
Category: Water
- 8/19/15 Employees all working on first aid tests for tomorrow. Then tomorrow they all will go to take practical at county fire dept.**
Due Date: None
Category: Water/Sewer
- 8/20/15 All employees gone to take practical at county fire dept. Mike here**
Due Date: None
Category: Water/Sewer
- 8-21-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-21-15 Mow grass.**
Due Date: None
Category: Parks
- 8-21-15 Sweep streets.**
Due Date: None
Category: Streets
- 8-21-15 Dig cremation grave.**
Due Date: None
Category: Cemetary
- 8-22-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-23-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-24-15 Water and wastewater daily lab testing and system checks.**
Due Date: None
Category: Water/Sewer
- 8-24-15 Fill pot holes.**
Due Date: None
Category: Streets
- 8-24-15 Hose headworks.**
Due Date: None
Category: Wastewater

- 8-24-15 Mow grass.**
 Due Date: None
 Category: Parks
- 8-25-15 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-25-15 Leak detection.**
 Due Date: None
 Category: Water
- 8-25-15 Finish meter read.**
 Due Date: None
 Category: Water/Sewer
- 8-25-15 Investigate broken water box and meter in Hamner Springs.**
 Due Date: None
 Category: Water
- 8-26-15 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-26-15 Mow grass.**
 Due Date: None
 Category: Parks
- 8-26-15 Work on WWTP lab accreditation application renewal.**
 Due Date: None
 Category: Wastewater
- 8-26-15 Work on sewer design and water taps for houses on Antonie.**
 Due Date: None
 Category: Water/Sewer
- 8-26-15 Clean river intakes.**
 Due Date: None
 Category: Water
- 8-27-15 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-27-15 Finish and send in WWTP lab accreditation renewal application to Ecology.**
 Due Date: None
 Category: Wastewater
- 8-27-15 Send out backflow test notices.**
 Due Date: None
 Category: Water
- 8-27-15 Mow grass in parks.**
 Due Date: None
 Category: Parks
- 8-27-15 Fill pot holes.**
 Due Date: None
 Category: Streets
- 8-28-15 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-28-15 Work on next years budget.**
 Due Date: None
 Category: Water/Sewer
- 8-28-15 Check sewer lift stations.**
 Due Date: None
 Category: Wastewater
- 8-28-15 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 8-28-15 Clean sampler jugs.**
 Due Date: None
 Category: Wastewater
- 8-28-15 Dig grave for weekend cremation funeral.**
 Due Date: None
 Category: Cemetary
- 8-29-15 Water and wastewater weekend testing.**
 Due Date: None
 Category: Water/Sewer
- 8-29-15 Clean river intakes several times lots of leaves.**
 Due Date: None
 Category: Water
- 8-30-15 Water and wastewater weekend testing.**
 Due Date: None
 Category: Water/Sewer
- 8-30-15 Cremation funeral at cemetary.**
 Due Date: None
 Category: Cemetary
- 8-31-15 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 8-31-15 Send out more backflow test letters.**
 Due Date: None
 Category: Water
- 8-31-15 Spray weeds at Town Square.**
 Due Date: None
 Category: Parks
- 8-31-15 Clean up around WTP.**
 Due Date: None
 Category: Water

- 8-31-15 Work on next years budget.**
Due Date: None
Category: Water/Sewer
- 8-31-15 Work on lead and copper test results.**
Due Date: None
Category: Water
- 8-31-15 Mow and weedwack WTP.**
Due Date: None
Category: Water
- 8-31-15 Mow WWTP.**
Due Date: None
Category: Wastewater
- 8-31-15 Mow Town Square grass.**
Due Date: None
Category: Parks
- 8-31-15 Write individual letters and get mailing address to send out Lead and Copper testing results to 20 homes that were tested.**
Due Date: None
Category: Water
- 8-31-15 Clean river intakes multiple times to keep flowing. Lots of leaves from wind and rain.**
Due Date: None
Category: Water

EATONVILLE POWER & LIGHT AUGUST REPORT 2015

Superintendent Dan Sharpe Linemen Nestor Sundita Apprentice Jesse Carroll

Street lights repairs
Repaired 5 streets light

Disconnect Reconnect

Shutoffs 9
Disconnect 4
Reconnect 3

New hookups
House hook up 1
Temporary hookup 1

Locates 3

Replaced to radio read meters 4

Misc.

Park maintenance and garbage pickup
Door hangers
Help water crew
Put up sign post at crosswalks on Washington
Community center led lights
Put up and down banner
Trim trees
Safety meetings
Cameras at town square
First aid training

Building Department Activity 2015

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	3	2	3	5	3	4	3					25
Set Backs	2	3	4	2	2	1	5	1					20
Foundation	4	7	4	4	2		1	2					24
Footing drains	1	4		2	1	2	1	2					13
Floor Framing	1	2	1	2	2	5	1	2					16
Shearwall	1	1		2	1	1	1	5					12
Sewer		10	5	8	1	4	4	1					33
Water		3		2	1	1	3	1					11
Storm		4		1	1		2	2					10
Framing	2	4		4	2	1	2	1					16
Plumbing	3	7		2	1		3	5					21
Mechanical		14	1	10	2		8	2					37
Insulation	1	3	1	4	2		1	0					12
Drywall		8		3	1	1	3	0					16
Patio	1	1			1			2					5
Final		2	2		8	1	3	7					23
Red Tags	1	1					2	1					5
OTHERS	10	8	10	10	15	6	10	12					81
TOTAL	29	85	30	59	48	26	54	49					380
Permits Taken In	11	16	11	15	8	19	13	14					107

Set up and Break Down for Counsel and Planning meetings
Do Door Hangers

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT AUGUST 2015

COMMUNITY CENTER		
DATE	ACTIVITY	RENTAL FEE
08/01/15	Youth Connection	n/a
08/10/15	Town Council	n/a
08/12/15	Youth Connection	n/a
08/15/15	Rental	\$230
08/15/15	Youth Connection	n/a
08/17/15	Planning Commission	n/a
08/20/15	Eatonville Family Agency	n/a
08/21/15	Youth Connection	n/a
08/24/15	Town Council	n/a
GLACIER PARK		
DATE	ACTIVITY	RENTAL FEE
08/01-08/15/15	Lions Club	n/a
08/16/15	Rental	\$35
08/22/15	Rental	\$35
08/23/15	Rental	\$35
VISITOR CENTER		
DATE	ACTIVITY	RENTAL FEE
08/01/15	Jr. Cruisers	n/a
08/02/15	Jr. Cruisers	n/a
08/04/15	Public Safety Committee	n/a
08/06/15	Finance Committee	n/a
08/06/15	Public Utilities Committee	n/a
08/13/15	Animal Control Committee	n/a
08/17/15	Dollars for Scholars	n/a
08/19/15	Chamber of Commerce	n/a
08/20/15	Chamber of Commerce	n/a
08/25/15	Parks/Cemetery Meeting	n/a
08/26/15	Chamber of Commerce	n/a

The Youth Connection
Community Service

August, 2015

2 Hours

Family dinner hours

4 Youth

8 hours

3 hours

Family dinner hours

6 Adults

18 hours

8 Youth Hours

18 Adult Hours

Signature



Date: September 8th, 2015