

Eatonville Police Department
Incident NCIC=WA0270500
And Incident Date Reported BETWEEN 10/01/2013
And 10/31/2013

Incident Log Report

Printed On: Wed, Nov 06, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
<i>Location</i>				
2013000358	WA0270500	10/01/2013 08:46	EA1	Arson
2013000359	WA0270500	10/01/2013 15:05	EA1	Theft 3
2013000360	WA0270500	10/01/2013 16:13	ea7	Paper Service
2013000361	WA0270500	10/01/2013 20:26	E5	Suspicious Activity
2013000362	WA0270500	10/01/2013 22:53	E5	Assault 4 DV
2013000363	WA0270500	10/03/2013 07:37	E4	Possess < 40 Grams of Marijuana
2013000364	WA0270500	10/04/2013 11:19	E4	Theft 3
2013000365	WA0270500	10/05/2013 12:53	E4	Malicious Mischief 3
2013000366	WA0270500	10/05/2013 16:06	ea7	Trespass Order Served
2013000367	WA0270500	10/05/2013 16:22	ea7	Brandishing a Weapon, Harassment
2013000368	WA0270500	10/06/2013 20:25	E5	Verbal Domestic
2013000369	WA0270500	10/07/2013 16:17	E5	Theft 3
2013000370	WA0270500	10/07/2013 16:55	E5	Neighbor Dispute
2013000371	WA0270500	10/08/2013 13:13	E4	MVC Injury
2013000372	WA0270500	10/08/2013 21:03	ea7	Road Rage, Reckless Driving
2013000373	WA0270500	10/08/2013 22:34	E5	Agency Assist, MVC, PCSO
2013000374	WA0270500	10/10/2013 13:21	E4	Suicidal Threats
2013000375	WA0270500	10/10/2013 13:13	E4	Suspicious Circumstance
2013000376	WA0270500	10/13/2013 09:36	EA1	Paper Service
2013000377	WA0270500	10/15/2013 09:05	EA1	Animal at Large
2013000378	WA0270500	10/15/2013 10:49	EA1	Fraud
2013000379	WA0270500	10/15/2013 15:48	ea7	Elderly Contact
2013000380	WA0270500	10/16/2013 08:34	E4	DWLS 3, Warrant Arrest
2013000381	WA0270500	10/16/2013 10:22	E4	UPCS MJ <, Poss Paraphernalia
2013000382	WA0270500	10/16/2013 13:13	EA1	Possession of Stolen Property 2
2013000383	WA0270500	10/16/2013 16:33	ea7	Theft from Vehicle
2013000384	WA0270500	10/18/2013 12:23	E4	Fraud-Credit Card
2013000385	WA0270500	10/18/2013 18:33	ea7	Theft from Vehicle
2013000386	WA0270500	10/18/2013 19:26	ea7	NVOL/ No ID, No Seat Belt
2013000387	WA0270500	10/18/2013 20:36	ea7	Assault 4, DV

Eatonville Police Department

Incident Log Report

Printed On: Wed, Nov 06, 2013

<i>Case Number</i>	<i>NCIC</i>	<i>Date Reported</i>	<i>Officer</i>	<i>Offense</i>
2013000388	WA0270500	10/19/2013 09:53	ea7	FACR
2013000389	WA0270500	10/19/2013 23:25	E4	Agency Assist, MVC, PCSO
2013000390	WA0270500	10/20/2013 18:33	E5	Information, 414 Subject
2013000391	WA0270500	10/22/2013 05:14	E5	Domestic Dispute
2013000392	WA0270500	10/25/2013 09:26	E4	FACR
2013000393	WA0270500	10/25/2013 10:53	E4	Warrant Arrest
2013000395	WA0270500	10/29/2013 07:45	E4	Agency Assist, MVC, WSP
2013000396	WA0270500	10/29/2013 09:28	E4	Threats, Harassment
2013000397	WA0270500	10/29/2013 15:09	E4	Theft of Tabs
2013000398	WA0270500	10/31/2013 08:25	E4	Information, Unfounded

Total Records: 40

Eatonville Police Department
Citation NCIC=WA0270500
And Citation Date Cited BETWEEN 10/01/2013
And 10/31/2013

Citation Log Report

Printed On: Wed, Nov 06, 2013

Citation Nbr	NCIC	Date/Time Cited	Officer	Offense
C3Z03380272	WA0270500	10/16/2013 08:34	E4	DWLS 3
C3Z0748508	WA0270500	10/5/2013 16:22	ea7	Brandishing, Harassment
C3Z0832407	WA0270500	10/1/2013 22:54	E5	Assault 4 DV
C3Z0848479	WA0270500	10/18/2013 19:26	ea7	No VOL No ID
C3Z0848480	WA0270500	10/18/2013 20:36	ea7	DV Assault 4
C3Z0869586	WA0270500	10/8/2013 21:03	ea7	Reckless Driving
I3Z0848476	WA0270500	10/15/2013 18:09	ea7	Smoking in Park
I3Z0848477	WA0270500	10/17/2013 18:13	ea7	No Seatbelt
I3Z0848478	WA0270500	10/18/2013 19:26	ea7	No Seat Belt
I3Z0848481	WA0270500	10/19/2013 13:39	ea7	Exp Tabs >2, No Insurance
I3Z0848482	WA0270500	10/24/2013 16:47	ea7	No Insurance, No VOL with ID
I3Z0848483	WA0270500	10/24/2013 18:53	ea7	Following too close
I3Z0848484	WA0270500	10/25/2013 16:30	ea7	No Insur., No License on Person, Windshi
I3Z0852761	WA0270500	10/5/2013 07:48	E4	Pass in a no pass zone
I3Z0852762	WA0270500	10/16/2013 08:34	E4	Expired tabs > 2 months

COMMUNITY CENTER/GLACIER PARK/VISITOR CENTER USE REPORT OCTOBER 2013

COMMUNITY CENTER

DATE	ACTIVITY	RENTAL FEE
10/02/13	Centerpoint	\$250/month
10/05/13	Youth Connection	n/a
10/09/13	Centerpoint	\$250/month
10/13/13	Eatonville Family Agency	n/a
10/16/13	Centerpoint	\$250/month
10/18/13	Youth Connection	n/a
10/19/13	Youth Connection	n/a
10/22/13	Eatonville Family Agency	n/a
10/23/13	Centerpoint	\$250/month
10/26/13	Youth Connection	n/a
10/30/13	Centerpoint	\$250/month

GLACIER PARK

DATE	ACTIVITY	RENTAL FEE

VISITOR CENTER

DATE	ACTIVITY	RENTAL FEE
10/09/13	Salmon Festival Meeting	n/a
10/09/13	Senior Surprise	n/a
10/15/13	Finance Committee	n/a
10/17/13	Dollars for Scholars	n/a
10/21/13	Senior Surprise	n/a
10/23/13	Eatonville Police Department	n/a
10/24/13	Eatonville Police Department	n/a
10/26/13	Youth Connection	n/a

Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	4	5	5	4	3	3	9	0	0	35
Foundation	0	0	0	1	3	3	2	7	5	3	0	0	24
Footing drains	0	0	0	0	1	5	0	4	2	1	0	0	13
Floor Framing	0	0	0	1	1	4	0	2	1	0	0	0	9
Shearwall	0	0	0	0	1	3	0	0	2	4	0	0	10
Sewer	0	0	0	0	1	0	0	1	2	2	0	0	6
Water	0	0	0	0	1	2	0	1	4	0	0	0	8
Storm	0	0	2	1	1	2	0	1	2	1	0	0	10
Framing	2	0	0	0	1	1	5	1	2	3	0	0	15
Plumbing	2	2	0	0	2	1	5	1	4	5	0	0	22
Mechanical	2	1	2	1	1	1	6	1	2	2	0	0	19
Insulation	1	1	0	0	1	0	1	1	2	1	0	0	8
Sheetrock	0	0	0	0	1	0	5	1	0	2	0	0	9
Patio	0	0	0	0	0	0	1	1	2	0	0	0	4
Final	1	1	0	0	0	1	1	5	3	5	0	0	17
Red Tags	1	0	0	1	0	0	0	0	1	1	0	0	4
OTHERS	5	6	7	6	6	5	8	16	15	13	0	0	87
TOTAL	16	11	11	15	26	33	38	46	52	52	0	0	300
Permits Taken	6	0	3	13	44	16	3	11	17	24	0	0	

Planning and Counsel meetings
Hand out door Hangars

Building Department Activity 2013

	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Totals
Plan Review	2	0	0	4	5	5	4	3	3	9	0	0	35
Foundation	0	0	0	1	3	3	2	7	5	3	0	0	24
Footing drains	0	0	0	0	1	5	0	4	2	1	0	0	13
Floor Framing	0	0	0	1	1	4	0	2	1	0	0	0	9
Shearwall	0	0	0	0	1	3	0	0	2	4	0	0	10
Sewer	0	0	0	0	1	0	0	1	2	2	0	0	6
Water	0	0	0	0	1	2	0	1	4	0	0	0	8
Storm	0	0	2	1	1	2	0	1	2	1	0	0	10
Framing	2	0	0	0	1	1	5	1	2	3	0	0	15
Plumbing	2	2	0	0	2	1	5	1	4	5	0	0	22
Mechanical	2	1	2	1	1	1	6	1	2	2	0	0	19
Insulation	1	1	0	0	1	0	1	1	2	1	0	0	8
Sheetrock	0	0	0	0	1	0	5	1	0	2	0	0	9
Patio	0	0	0	0	0	0	1	1	2	0	0	0	4
Final	1	1	0	0	0	1	1	5	3	5	0	0	17
Red Tags	1	0	0	1	0	0	0	0	1	1	0	0	4
OTHERS	5	6	7	6	6	5	8	16	15	13	0	0	87
TOTAL	16	11	11	15	26	33	38	46	52	52	0	0	300
YTD Taken	6	0	3	15	44	15	8	11	17	24	0	0	133

Planning and Counsel meetings
Hand out door Hangars

EATONVILLE POWER & LIGHT

October monthly report

Supervisor Dan Sharpe linemen nester Sundita apprentice Jesse Carroll

Parks

Mowed parks 5 times

Picked up garbage 10 times

Hook up new building

Community center

250 easton

Temp meter at 485 lynch

311 lynch

Banner

Took down and put up 2 banners

Disconnect and Reconnect

Reconnect 12

Disconnect 7

Shut offs 8

St. Light

Fixed 4 lights

Misc.

Fixed broken pipe at new bus garage

Salmon fest

Center st. pump house

Substation work

Removed pole at new bus garage

Lift station work

Patch streets

Priority 1

10-1-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

10-1-13 Work on lagoon aerator tripping out or shorted somewhere.

Due Date: None
Category: Wastewater

10-1-13 Install new battery backup at WTP.

Due Date: None
Category: Water

10-1-13 Get parts for raw water pipe repair at WTP.

Due Date: None
Category: Water

10-1-13 Sweep streets.

Due Date: None
Category: Streets

10-1-13 Pick up blown down limbs.

Due Date: None
Category: Water/Sewer

10/2/13 Two WTP backwash skid CIP's.

Due Date: None
Category: Water

10/2/13 Hose out chemical room floor.

Due Date: None
Category: Water

10/2/13 Take Push camera to School bus parking and put it into electric conduit trying to find blocked area.

Due Date: None
Category: Power and Light

10/8/13 Open lagoon valve to start lowering the lagoon into the SBR's. Vary small flow per day.

Due Date: None
Category: Wastewater

10/8/13 Variable Speed Drive faltered out on the backwash skid. Restarted

Due Date: None
Category: Water

10/8/13 Clean chemical room floor.

Due Date: None
Category: Water

10/8/13 Chemical delivery today. Check in.

Due Date: None
Category: Water

10/8/13 Internet phone still not working. Reset modem several times still nothing.

Due Date: None
Category: Water/Sewer

10-9-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

10-9-13 Hose SBR's.

Due Date: None
Category: Wastewater

10-9-13 Pre-fab new raw water pipe connection for WTP.

Due Date: None
Category: Water

10-9-13 Multiple CIP's at WTP.

Due Date: None
Category: Water

10-10-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

10-10-13 Investigate leaking pipes at sewer lift station.

Due Date: None
Category: Wastewater

10-10-13 Fill pot hole/temporary patch Jet ct.

Due Date: None
Category: Streets

10-10-13 Meet with Litzenberger to setup sewer connection at airport.

Due Date: None
Category: Wastewater

10-11-13 Water and wastewater daily lab testing and system checks.

Due Date: None
Category: Water/Sewer

10-11-13 Fill pot holes on Jet ct and around town.

Due Date: None
Category: Streets

10-11-13 Hose SBR's.

Due Date: None
Category: Wastewater

10-11-13 Start work on NPDES WWTP permit application.

Due Date: None
Category: Wastewater

- 10-11-13 Wire in new parts to repair Center St pump house.**
 Due Date: None
 Category: Water
- 10-12-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-13-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-14-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-14-13 Mow/weedwack at park.**
 Due Date: None
 Category: Parks
- 10-14-13 Work on WWTP permit.**
 Due Date: None
 Category: Wastewater
- 10-14-13 Fill pot holes.**
 Due Date: None
 Category: Streets
- 10-14-13 Hose headworks and clean bar screen.**
 Due Date: None
 Category: Wastewater
- 10-15-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-15-13 Fix chemical leak at WTP.**
 Due Date: None
 Category: Water
- 10-15-13 Update and send out backflow test letters.**
 Due Date: None
 Category: Water
- 10-15-13 Help start getting park ready for salmon fest.**
 Due Date: None
 Category: Parks
- 10-15-13 Start meter reads.**
 Due Date: None
 Category: Water/Sewer
- 10-16-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer

- 10-16-13 Hose SBR's**
 Due Date: None
 Category: Wastewater
- 10-16-13 Work on WWTP permit application.**
 Due Date: None
 Category: Wastewater
- 10-16-13 Work on Mill Village lift station job scope.**
 Due Date: None
 Category: Wastewater
- 10-16-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 10-17-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-17-13 Confined space entry at Mill Village lift station and install temporary repair on broken discharge pipe.**
 Due Date: None
 Category: Wastewater
- 10-17-13 Clean blower room at WWTP.**
 Due Date: None
 Category: Wastewater
- 10-17-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 10-17-13 Gather up supplies needed by Doug to block streets for salmom fest.**
 Due Date: None
 Category: Parks
- 10-17-13 Turn on water for use at park.**
 Due Date: None
 Category: Parks
- 10-18-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-18-13 Hose headworks.**
 Due Date: None
 Category: Wastewater
- 10-18-13 Check/put degreasing soap in all lift stations.**
 Due Date: None
 Category: Wastewater
- 10-18-13 Help setup for fish fest at park.**
 Due Date: None
 Category: Parks

- 10-18-13 Fill pot hole on Prospect.**
 Due Date: None
 Category: Streets
- 10-18-13 Send out WWTP effluent samples for testing.**
 Due Date: None
 Category: Wastewater
- 10-18-13 Submit first draft of WWTP EPA NPDES permit application.**
 Due Date: None
 Category: Wastewater
- 10-18-13 Sweep streets.**
 Due Date: None
 Category: Streets
- 10-18-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 10-18-13 Check bathrooms and try to fix door lock timers.**
 Due Date: None
 Category: Parks
- 10-18-13 Check lift stations.**
 Due Date: None
 Category: Wastewater
- 10-19-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-19-13 Work on filter 2 pump.**
 Due Date: None
 Category: Water
- 10-20-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-21-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-21-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 10-21-13 Pick up park after salmon fest.**
 Due Date: None
 Category: Parks
- 10-22-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-22-13 Read meters.**
 Due Date: None
 Category: Water/Sewer
- 10-22-13 Excavate to get a look at piping at Mill Village Lift Station.**
 Due Date: None
 Category: Wastewater
- 10-22-13 Fix leaking flange on Grit removal at WWTP.**
 Due Date: None
 Category: Wastewater
- 10-22-13 Change acid barrel at WTP.**
 Due Date: None
 Category: Water
- 10-22-13 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 10-22-13 Make up cap for open valve pipe on Jensen.**
 Due Date: None
 Category: Water
- 10/23/13 Dig towel out of Hycore grit removal system and get started on auto again.**
 Due Date: None
 Category: Wastewater
- 10/23/13 Adjust lagoon discharge valves to lower lagoons some more before heavy rains come again.**
 Due Date: None
 Category: Wastewater
- 10/23/13 Calabrate and put new membrane on DO meter at the WWTP. Reading in 10s**
 Due Date: None
 Category: Wastewater
- 10/23/13 Do one CIP on the WTP backwash skid.**
 Due Date: None
 Category: Water
- 10-24-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-24-13 Fill pot hole on Penn.**
 Due Date: None
 Category: Streets
- 10-24-13 Meter re-reads.**
 Due Date: None
 Category: Water/Sewer
- 10-24-13 Pick up garbage at park.**
 Due Date: None
 Category: Parks

- 10-24-13 Check water leak on Carrige ct.**
 Due Date: None
 Category: Water
- 10-24-13 Open up area and brush out around old Eagle Glen lift station.**
 Due Date: None
 Category: Wastewater
- 10-25-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-25-13 Locates up on Larson W.**
 Due Date: None
 Category: Water/Sewer
- 10-25-13 Work on WWTP NPDES permit.**
 Due Date: None
 Category: Wastewater
- 10-25-13 Work on raw water screen at WTP.**
 Due Date: None
 Category: Water
- 10-25-13 Hose SBR's.**
 Due Date: None
 Category: Wastewater
- 10-26-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-27-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-28-13 Water and wastewater daily lab testing and system checks.**
 Due Date: None
 Category: Water/Sewer
- 10-28-13 Change water meter in Carriage Ct.**
 Due Date: None
 Category: Water
- 10-28-13 Instal new water meter in Hamner Springs.**
 Due Date: None
 Category: Water
- 10-28-13 Meet with contractors to go over lift station repair.**
 Due Date: None
 Category: Wastewater
- 10-28-13 Clean WWTP.**
 Due Date: None
 Category: Wastewater

- 10-28-13 Hose UV channel.**
 Due Date: None
 Category: Wastewater
- 10-28-13 Fix fence at WTP.**
 Due Date: None
 Category: Water
- 10-28-13 Make new DMR forms for November.**
 Due Date: None
 Category: Water
- 10-28-13 Hose UV channel.**
 Due Date: None
 Category: Wastewater
- 10-28-13 Work on electrical issue on Hycore at headworks.**
 Due Date: None
 Category: Wastewater
- 10-28-13 Meter rereads.**
 Due Date: None
 Category: Water/Sewer
- 10-28-13 Check bathrooms at park.**
 Due Date: None
 Category: Parks
- 10-28-13 Finish excavating around Mill Village lift station.**
 Due Date: None
 Category: Wastewater
- 10-29-13 Water and wastewater daily lab testing and sytem checks.**
 Due Date: None
 Category: Water/Sewer
- 10-29-13 Meet with contractors to go over emergency repair to lift station.**
 Due Date: None
 Category: Wastewater
- 10-29-13 Clean and chack all sewer lift stations.**
 Due Date: None
 Category: Wastewater
- 10-29-13 Final prep around WWTP before inspection.**
 Due Date: None
 Category: Wastewater
- 10-30-13 Water and wastewater daily lab testing and sytem checks.**
 Due Date: None
 Category: Water/Sewer
- 10-30-13 Order and setup appointment for work on sweeper.**
 Due Date: None
 Category: Streets

- 10-30-13 Meet with Ecology at wastewater plant for inspection and discuss NPDES permit issues.**
Due Date: None
Category: Wastewater
- 10-30-13 Finish and mail WWTP NPDES permit application.**
Due Date: None
Category: Wastewater
- 10-30-13 Take sweeper in to Clyde West in Kent for repairs.**
Due Date: None
Category: Streets
- 10-31-13 Water and wastewater daily lab testing and sytem checks.**
Due Date: None
Category: Water/Sewer
- 10-31-13 Finish glueing up flanges on new 8" T at WTP.**
Due Date: None
Category: Water
- 10-31-13 Survey water/sewer hookups by townhouses.**
Due Date: None
Category: Water/Sewer
- 10-31-13 Hose SBR's.**
Due Date: None
Category: Wastewater
- 10-31-13 Training at WWTP.**
Due Date: None
Category: Wastewater
- 10-31-13 Offload chemical delivery at WTP.**
Due Date: None
Category: Water
- 10-31-13 Check water meter on Carriage Ct.**
Due Date: None
Category: Water
- 10-31-13 Try to fix oil/brake problem on water shop truck.**
Due Date: None
Category: Water/Sewer